Specifications:

2

Contact rating:	250 V AC, 3 A / 125 V AC, 6 A
	30 V DC, 4 A / 12 V DC, 5 A
	6 V DC, 6 A
Contact resistance:	< 20 mΩ
Insulation resistance:	> 1000 MΩ at 500 V DC
Dielectric strength:	1500 V, 50 Hz for the duration of 1 minute
Operating temperature:	– 45 °C to +140 °C
Mechanical life:	minimum 200 000 operations (100 000 cycles for SA and TA)
Contacts:	coin silver (common contact copper alloy, silver-plated)
	also available gold-plated version B and G, see page 4
Terminals:	solder tags, copper alloy silver-plated
	further terminal versions see page 8
Material:	case: diallyle-phthalate, meets UL 94 V–0, green
	lever: chromium-plated, metal parts: nickel-plated
Mounting:	bushing 15/32-32 THD with locking plate (M 12 x 0.75), key 14 mm
Soldering conditions:	hand-soldering – max.: 60 W, 3 sec, 420 °C
	wave-soldering – max.: 5 sec, 270 °C

Accessories:

Plastic caps (height 12.7 mm)

black	C 2105
grey	C 2107
red	C 2109
white	C 2110

Waterproof sealing cap (height 21.4 mm)

ET 307

grey





Waterproof sealing cap (height 11 mm)

grey ET 507 Z



Mustang Toggle Switches

WAY

3.0±1.0


Models: Switching functions

S P D T MTG 106 D MTG 106 E MTG 106 F MTG 106 G	mom – mom c	- on <u>9.0</u> off on <u>9.0</u> - on <u>93.0</u> off mom	
MTG 106 H		off on	

-240-



DPDT






15/32-32 THD 3 P D T KEYWAY 9.0 MTG 306 D on on 12.5 MTG 306 E off on on EPOXY S 15.8±1.0 MTG 306 F mom on <u>ø3.0</u> _ 11.9±0. MTG 306 G off mom mom MTG 306 H mom off on 6.4 4.3 .2x0.8 8±1.0



4 P D T







UL recognized components on request.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Accessories category:

Click to view products by Knitter-Switch manufacturer:

Other Similar products are found below :

 896809000
 01500
 01010
 01501
 7101MD9V30B
 7103KZBE
 7103P3YAVGE
 7209MD9ABE
 7209SY9AQE
 7209SYCBE
 7303KZQE

 F1302
 F1403
 760201000
 764300000
 785105000
 785106000
 789009000
 7T0062
 7T0073
 MJ1216
 MJ33
 MJ612
 849PT01A

 91321314655637182-1-MEV
 A0107X
 A0141A
 A0141E
 A0142M2SP
 A0142N5
 A0143G
 A0143H
 A0161G
 A0162A
 A0162F
 A019307

 A01RTC8
 A0214X
 A02504
 A02512
 A0261A
 A0263D
 A029303
 A02MXB
 A168P1
 A274
 A3A-7310
 A3PA571124E
 A466