


XX	Poles	Α	В	
01	1	3.48	0	
02	2	6.02	2.54	
03	3	8.56	5.08	
04	4	11.10	7.62	
05	5	13.64	10.16	
06	6	16.18	12.70	
07	7	18.72	15.24	
80	8	21.26	17.78	
09	9	23.80	20.32	
10	10	26.34	22.86	
12	12	31.42	27.94	

## P.C.B. LAYOUT





Tolerances:			Date	Name					
			03/05	dr					
Revised	10/13	dr							
ON position	10/12	dr		SBS 10xx					
SBS 1001 added	01/12	dr							
Delivery position	10/10	dr							
Vibration / shock	06/10	dr							
Specifications	03/09	dr				00.05	0.4	Pogo	
Operating force	01/07	dr	kni	lter-s	witch	30 05	91	Page	
RoHS compliant	08/05	dr				33 33 31		1/2	
Modifications	Date	Name							

Specifications:

Contact rating: 25mA, 24V DC / 100mA, 6V DC

min.: 0.1mA, 3V DC

Contact resistance:

50mOhm max.

Insulation resistance:

100MOhm min. at 500V DC

Dielectric strength:

500V, 50Hz for the duration of 1 minute

Operating temperature:

-40°C to +85°C

Storage temperature: Mechanical life:

-40°C to +85°C min. 2 000 cycles

Operating force:

10N max.

Slide position:

off (excepted SBS 1004 T-IS: pos. 3 is ON; pos. 1,2,4 is OFF)

Vibration:

MIL-STD 202F, method 201A

Shock:

MIL-STD 202F, method 213B, condition A

Construction:

case sealed, slides recessed, front sealed with protective tape

Mounting:

on pc-board - SMD

PPS meets UL94V-0

Material:


Terminal: gold flush over nickel 30-100u"

Contact: gold plated 3u" over nickel 30-100u"

Sealing:

by protective tape, washable by aqueous detergents and isopropyl alcohol

Soldering conditions:





Tolerances:			Date 03/05	Name dr	000.40			
					SBS 10xx			
			kni	knitter-sw		30 05	91	Page
Modifications	Date	Name						2/2

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIP Switches/SIP Switches category:

Click to view products by Knitter-Switch manufacturer:

Other Similar products are found below:

78M03S 79B10T 8136-475G4T G7G-1A2-CB-DC12 H7CZL8AC100240 A7SS-M A8CA-201 DRR60016 DRS4016 1825008-1 1825444-1 25.350.0653.0 SBS 5004 TG SDA10H1BDA 97R06ST A2C-2A5 1825444-7 ADE08SA04 ADE12S04 192960010 2-1825058-8 25.330.0653.1 25.352.0353.0 CXDRIVEV2X IKN0600000 IKN0800000 LA2-002-DC24 DBS1003 438872000 DRD10CRAE04 DSR02T DSS 208 N E2FMX2D1M1TGJ03M NDI10H 219-9MSTP 204-6ES EPM02FV 701521596 NDS08V 76SB05 79A10 TD06H0SK1 Z7.255.9027.0 1-1825058-3 1825428-4 219-10LPSTF G4D212PUSTV2DC5 NDI05H EPG301BT06 206S0117