

规格承认书

Specification for approval

客户名称:

深圳市立创电子商务有限公司

(Customer Name)

产品名称:

贴片铝电解电容器

(Product Name)

SMD Aluninum Electrolytic Capacitor

客户料号:

(Customer part number)

科尼盛料号:

167RV161




(KNSCHA number)

型号规格:

SMD E/C 470UF/50V 12.5*13.5mm VT

(Specifications)

SMD E/C 470UF/50V 12.5*13.5mm VT

制 造 (Manufacture)		
Approval		
拟 制 (Fiction)	审 核 (Chief)	核 准 (Approval)
 刘淑芬	 刘军军	 徐贵南

客 户 (Customer)		
Approval		
检 验 (Inspect)	审 核 (Chief)	核 准 (Approval)

东莞市科尼盛电子有限公司

DONG GUAN KNSCHA ELECTRONICS CO.,LTD.

No. 8th floor, A3 building, R&D center (Phase I),

Songshan Lake Intelligent Valley, Liaobu Town, Dongguan City.


TEL:0769-83698067 81035570 FAX: 0769-83861559

Email : sales@knscha.com Website: http://www.knscha.com



规格书

Items	Performance		
Series	VT		
Operating Temperature Range	-55~+105℃		
Case size(φD×L mm)	12.5×13.5(±1.0)		
Voltage Range	50V		
Capacitance	470μ F		
Capacitance Tolerance	±20% at 120Hz, 20℃		
Leakage Current	≤235μ A (2min)		
Tanδ(at 120Hz,20℃)	≤0.18		
Allowable ripple(at 120Hz,105℃)	520 mA rms.Maximum		
Load Life: After 2000 hours' application of rated voltage at 105℃ , capacitors meet the characteristics requirements listed at right.	Capacitance Change: Within ±20% of the initial value Tanδ : 200% or less of the initial specified value Leakage Current: Initial specified value or less		
Shelf Life: After leaving capacitors under no load at 105℃ for 1000 hours, they meet the specified value for load life characteristics listed above.			
Stability at Low Temperature	Measurement frequency : 120Hz		
	Impedance ratio	Z-25℃/Z+20℃	2
	ZT/Z20(max)	Z-55℃/Z+20℃	3



批准	徐贵南	
制作	刘淑芬	

东莞市科尼盛电子有限公司

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Aluminium Electrolytic Capacitors - SMD category](#):

Click to view products by [KNSCHA manufacturer](#):

Other Similar products are found below :

[ULV2H4R7MNL1GS](#) [ULV2H1R8MNL1GS](#) [MAL214099813E3](#) [CA025M4R70REB-0405](#) [HUB1800-S](#) [UCX1V471MNQ1MS](#) [10SVP120M](#)
[DV100M050C055ETR](#) [RVJ-50V101MH10U-R](#) [AEH1012471M016R](#) [MAL213967339E3](#) [GVT1C337M0608CNVC](#) [ATB106M050D058](#)
[ATB476M050F065](#) [ATB476M035E058](#) [ATB107M016E058](#) [ATB107M035E077](#) [EMVE350ARA101MF80G](#) [EMHL250ARA221MHA0G](#)
[ATB477M016F102](#) [EMK1EM331FB0D00R](#) [EMF1CM221FB0D00R](#) [EMF1CM331FB0D00R](#) [EMF1CM471FB0D00R](#)
[EMK1JM101GB0D00R](#) [EMK1AM102GB0D00R](#) [EMK1HM221GB0D00R](#) [DV221M6R3E055ETR](#) [DV221M025E077ETR](#)
[RV331M025F105ETR](#) [RVT1A101M0505](#) [GVZ1H101M0607](#) [CK1E100M0405](#) [GVM1E331M0607](#) [VT10UF100V167RV0127](#)
[VT100UF16V167RV0124](#) [CS100UF35V167RV0155](#) [CK220UF16V167RV0142](#) [VT10UF16V167RV0128](#) [VT22UF35V167RV0131](#)
[CS470UF10V167RV0150](#) [CK100UF16V167RV0138](#) [CK220UF10V167RV0141](#) [RVT330UF25V167RV0055](#) [CS47UF16V167RV0152](#)
[VT470UF16V167RV0135](#) [CS100UF10V167RV0144](#) [126RV0017](#) [VT47UF35V167RV0137](#) [CS220UF35V167RV0148](#)