



➤ DC-DC Power Supplies 90W - 150W


The DC-DC Power Supplies are fully compliant ATX power supplies designed to power a wide variety of motherboards



Part.-No. 820153



Part.-No. 820155



Part.-No. 820152

- Includes cable kit, inclusive ATX+12V cable
- Temperature 0 to +60 °C
- RoHS compliant
- Embedded. Typical lifetime 3-5 years

► Technical Information

Size												
820152: (L,W,H) = (44,5,20,30) mm												
820153: (L,W,H) = (160,45,35) mm												
820155: (L,W,H) = (160,45,35) mm												
Lifetime												
820152: MTBF=100K hours at 55 °C												
820153: MTBF=192K hours at 50 °C												
820155: MTBF=100K hours at 50 °C												
Longevity												
Embedded. Typical lifetime 3-5 years												
Operating environment												
Temperature: 0 to 60 °C.												
Relative Humidity 10 to 90% (non-condensing)												
Input Requirements												
820152: 12V regulated, +5% / -3%, max=10A (load dependent)												
820153: 10-25V regulated, max=15A												
820155: 10-32V regulated, max=15A												
Voltage Outputs												
Output voltage	Max Load / [A] (Fan less)			Max Load / [A] (Forced air)			Peak Load / [A] (<60 sec.)			Regulation		
Part.-No.	820152	820153	820155	820152	820153	820155	820152	820153	820155	820152	820153	820155
5V	4,8	6,0	5,5	6,0	8,0	6	8,0	12,0	6	+/- 1.5%	+/- 1.5%	+/- 1.5%
5VSB	1,5	1,5	1,45	1,5	1,5	2	2,0	2,0	2	+/- 1.5%	+/- 1.5%	+/- 1.5%
3.3V	4,8	6,0	3,9	6,0	8,0	6	8,0	12,0	6	+/- 1.5%	+/- 1.5%	+/- 1.5%
-12V	0,1	0,11	0,11	0,05	0,15	0,15	0,1	0,2	0,15	+/- 5%	+/- 5%	+/- 5%
12V	6,0	5,25	3,3	6,0	7,0	6	10,0	9,0	6	Switched input	+/- 2%	+/- 2%

► Ordering Information

Article	Part.-No.	Description
DC/DC 120W	820152	DC/DC 120W, 12V DC input w. ATX & P4-12V cable, Pico format
DC/DC 150W	820153	DC/DC, 150W, 10-25V DC input w. ATX & P4-12V cable
DC/DC 90W	820155	DC/DC, 90W, 10-32V DC input w. ATX & P4-12V cable

► Mechanical Drawing



► Corporate Offices

Europe, Middle East & Africa

Oskar-von-Miller-Str. 1
85386 Eching/Munich
Germany
Tel.: +49 (0)8165/ 77 777
Fax: +49 (0)8165/ 77 219
sales@kontron.com

North America

14118 Stowe Drive
Poway, CA 92064-7147
USA
Tel.: +1 888 294 4558
Fax: +1 858 677 0898
sales@us.kontron.com

Asia Pacific

17 Building,Block #1,ABP.
188 Southern West 4th Ring Road
Beijing 100070,P.R.China
Tel.: + 86 10 63751188
Fax: + 86 10 83682438
kcn@kontron.cn

Kontron Technology A/S

Dr. Neergaards Vej 5D
2970 Hørsholm
Denmark
Tel.: +45 4576 1016
Fax: +45 4576 1017
sales@kontron.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Computer Cables](#) category:

Click to view products by [Kontron](#) manufacturer:

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [CB-716EB-RS](#) [CB-716P8P9-RS](#) [CBK-11-290K-00](#) [ACL-10550](#) [ACL-10568-2](#) [ACL-10568-5](#)
[427522400-3](#) [426091300-3](#) [48000023](#) [10114976-P015002LF](#) [10111838-S444ALF](#) [88761-6101](#) [NT631C-CN321-EU](#) [ACL-10568NF-1](#)
[MIKROE-2092](#) [PCL-101100R-2E](#) [1700009405](#) [PS/2 Cable](#) [NT31C-CN323-EU](#) [PCL-10168H-1E](#) [68801-1905](#) [111068-1015](#) [100436-1107](#)
[68801-0630](#) [68801-3612](#) [68801-3618](#) [205058-1002](#) [PS2NK](#) [SATA cable](#) [96021-0000-00-0](#) [FAK-SMZSMZ 5M](#) [FAK-SMZSMZ-3M](#) [ACC-](#)
[500-200-R](#) [iW-C40-PCIe08-C1](#) [1700001531](#) [96048-0000-00-0](#) [96054-0000-00-0](#) [SATA III cable 30cm, down/straight](#) [cab-Pico-ITX-LVDS](#)
[PCL-101100SB-2E](#) [AXXSTCBLQAT](#) [NT31C-KBA05](#) [A2U4PSWCXCXK1](#) [2 port SATA to 5 pin,L=200mm](#) [P782-006-DH](#) [ACL-10568NF-](#)
[2](#) [PCL-101100R-1E](#)