

# SOCKET TESTER

## KPS-CC800



- Checker of the correct connection of a plug
- Acoustic and LED indication
- Voltage range: 230V AC
- Overvoltage category: CAT II 230V
- Dimensions: 68 x 60 x 56 mm
- Checks carried out:
  - Correct connection
  - Earth conductor disconnected
  - Active ground (Phase to ground connection)
  - Phase and neutral reversed
  - Neutral disconnected



# KPS-CC800

## SOCKET TESTER

General	
Product Size	68mm×60mm×56mm
Product Weight	60g
Safety Rating	CAT II 230V
Certification	CE/ETL/RoHS

Specs	
Voltage Range	230V
LED indication of the socket's wiring	<ul style="list-style-type: none"><li>▪ Correct</li><li>▪ Missing Earth</li><li>▪ Live-Earth Reverse</li><li>▪ Live-Neutral Reverse</li><li>▪ Missing Neutral</li></ul>

Product Code Information	
SKU	KPSCC800CBINT
EAN code	8435394747392
UPC code	N/A
Pcs/export carton	80

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Battery Testers](#) category:*

*Click to view products by [KPS](#) manufacturer:*

Other Similar products are found below :

[FMHT82567-0](#) [FMHT82566-0](#) [45216](#) [45222](#) [45217](#) [FMHT82569-6](#) [1013-098](#) [FLUKE T5-600/62MAX+/1ACE](#) [SPB 500L](#) [SPB 1000L](#)  
[KPS-DT120](#) [SPB 1000PR](#) [DSP 4FST](#) [KPSDT220CBINT](#) [SPB 500PR](#) [DSP 4](#) [HS 5](#) [KPS-SMD520](#) [KPSCC800CBINT](#) [DSP 5ST](#) [DSP 4F](#)  
[SPB 500B](#) [DSP 5B](#) [UT256](#) [1013-189](#) [2100-DELTA](#) [2100-GAMMA PRO](#) [BAT-200](#) [BA6010](#) [TLKB1](#) [BA6011](#) [44309](#) [44319](#) [BATTEST2](#)  
[601](#) [601B](#) [603B](#) [DUSPOL DIGITAL 1000](#) [DUSPOL EXPERT 1000](#) [FLUKE T110/VDE](#) [KEW5711](#) [KTA-01](#) [METRAVOLT 12D +L](#) [P](#)  
[1030](#) [P 1031](#) [P 1032](#) [P 1090](#) [P 1095](#) [P 1096](#) [PROFISAFE 690L](#)