



DATASHEET Part No. 1003657 Product: External Balanced LTE / Cellular Antenna

# Part No. 1003657

# External Balanced LTE / Cellular Antenna

LTE Band 17. Band 13 and Band 4

Supports: LTE CAT-M, NB-IoT, SigFox, LoRa, Cellular LPWA, RPMA, Tracking, Smart Metering, IOT, Healthcare



# High Performance Balanced External LTE Antenna

Low Band : 698 - 787 MHz High Band: 1710 - 2155 MHz

# **KEY BENEFITS**

#### **Greater Flexibility**

Different connector options upon request. Small form factor and low profile. Independent of ground, the performances are maintained across design.

## **Quicker Time-to-Market**

Standard antenna eliminates design fees, redesign cycle time and minimize risk associated with a customer solution. Quicker time to market.

## Reliability

Comply with latest RoHS requirements

#### **APPLICATIONS**

•	Medical	•	Automotive
	applications	•	Healthcare
•	Home	•	Point of Sale
	automation	•	Tracking
•	Smart	•	NB-IoT
	metering	•	Sigfox
•	M2M,	•	LoRa
	Industrial	•	Cellular
	devices		LPWA
•	loT	•	RPMA
•	M2M	•	LTE CAT-M

Ethertronics 1003657 antenna is designed to offer the best cellular performances across the LTE bands regardless of the ground it is connected to, and a low profile for easy integration.

The 1003657 wideband antenna offers full coverage for LTE bands 17, 13 and 4. Ethertronics antennas are a versatile easy plug and play solution for any major network carrier.

#### **Electrical Specifications**

Measured in Free space with 218 mm coax cable

Frequency (MHz)	B17 704-746	B13 746-787	B4 Tx 1710-1755	B4 Rx 2110-2155	
VSWR Match	2.5:1 max	2:1 max	2:1 max	2:1 max	
Average Efficiency	45.1%	51.4%	65.8%	79.6%	
Peak Gain	1 dBi	1.6 dBi	3.2 dBi	3.4 dBi	
Feed Point Impedance		50 $\Omega$ unbalanced			


# **Mechanical Specifications & Ordering Part Number**


Ordering Part Number	1003657		
Size (mm)	104.0 x 22.0 x 4.2		
Cable/Connector (mm)	1.80 diameter, 218 RG178 long coax cable MMCX 90° connector		
Weight (grams)	8.3		
Material	FR4 with black heat shrink cover		





#### **VSWR and Efficiency Plots**

Typical performance, measured in free space with 218 mm cable













#### Antenna Radiation Patterns – Low Band

Typical performances in free space with 218 mm cable





## Band 13 measured at 750 MHz

60


heta [deg

0.0

Gain (dBi


00E

0.0 -30.0 -20.0 -10.0



Band 17 measured at 710 MHz

0<u>/</u>Z



\*All dimensions provided in this document are for informational purposes only.


tel +(1) 858.550.3820 | fax +(1) 858.550.3821 email: eth.info@avx.com 5501 Oberlin Drive, Suite 100 San Diego, CA 92121 - USA


© 2018 Ethertronics




#### Antenna Radiation Patterns – High Band


Typical performances in free space with 218 mm cable







Band 4 Rx measured at 2110 MHz



\*All dimensions provided in this document are for informational purposes only.

tel +(1) 858.550.3820 | fax +(1) 858.550.3821 email: eth.info@avx.com 5501 Oberlin Drive, Suite 100 San Diego, CA 92121 - USA


© 2018 Ethertronics



## **Mechanical Dimensions**

Typical antenna dimensions (mm)

Part Number	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
1003657	104.0 ± 3.0	22.0 ± 1.5	4.2 ± 0.8	218.0 ± 4.0	$2.4 \pm 0.8$



**Bottom View** 

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Kyocera AVX manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113 

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352