



Quality and reliability is our tradition

KYORITSU

Analogue High Voltage Insulation Testers KEW 3121A/3122A/3123A

Rugged Design for Field Use



KEW 3121A
2500V/100GΩ

KEW 3122A
5000V/200GΩ

KEW 3123A
5000V•10000V/400GΩ

- **Rugged design with a hard carrying case for field use**
- **Detachable High Voltage Line probe**
- **Automatic ranges, high and low scales, indicated by different LED's**
- **Drip proof (IP41)**
- **Auto-discharge function**

KYORITSU ELECTRICAL INSTRUMENTS WORKS,LTD.

<http://www.kew-ltd.co.jp>

● KEW 3121A/3122A/3123A Specifications

| | 3121A | 3122A | 3123A | |
|--|--|--|-----------------------------|------------------------------|
| DC test voltage | 2500V | 5000V | 5000V | 10000V |
| Measuring ranges (automatic change) | 2GΩ/100GΩ (Auto-ranging) | 5GΩ/200GΩ (Auto-ranging) | 5GΩ/200GΩ (Auto-ranging) | 10GΩ/400GΩ (Auto-ranging) |
| First effective measuring ranges | 0.1~50GΩ | 0.2~100GΩ | 0.2~100GΩ | 0.4~200GΩ |
| Accuracy | ±5% rdg | | | |
| Other ranges accuracy | ±10% rdg or 0.5% of scale length | | | |
| Withstand voltage | 5000V AC for 1 minute | | | |
| Power source | R6(AA)(1.5V) × 8 | | | |
| Dimensions | 200(L) × 140(W) × 80(D) mm | | | |
| Weight | approx. 1kg | | | |
| Accessories | 7165A(Line probe)(3m) 7224A(Earth cord)(1.5m) 7225A(Guard cord)(1.5m) 9158(Hard case) R6(AA) × 8 Instruction manual, Calibration Certificate | 7165A(Line probe)(3m) 7224A(Earth cord)(1.5m) 7225A(Guard cord)(1.5m) 8019(Pickel type prod) 9158(Hard case) R6(AA) x 8 Instruction manual, Calibration Certificate | | |
| Optional | 8019(Pickel type prod) 8324(Adapter for recorder) 7253(Longer Line probe with alligator clip)(15m) | 8324(Adapter for recorder) 7253(Longer Line probe with alligator clip)(15m) | | |

● Included Accessories



MODEL 9158

Hard Case



EVERYTHING YOU NEED

They come with everything you need for High voltage Insulation Resistance Measurements.

A full set of test leads such as HV Line probe, Earth and Guard cords is included. The instruments also come in a robust hard case which includes a quick reference guide and a calibration certificate.



● Optional Accessories

MODEL 7253

15m long line probe
with alligator clip



MODEL 8324

Adaptor for recorder
(Output 10mV/1μA)
Cable length:
200mm connector side
1100mm alligator clip side



MODEL 8019

Hook type prod



Safety Warnings :

Please read the "Safety Warnings" in the instruction manual supplied with the instrument thoroughly and completely for correct use. Failure to follow the safety rules may cause fire, trouble, electrical shock, etc. Therefore, make sure to operate the instrument and voltage rating marked on each instrument.

■ For inquiries or orders :



**KYORITSU ELECTRICAL
INSTRUMENTS
WORKS, LTD.**

No.5-20,Nakane 2-chome, Meguro-ku, Tokyo, 152-0031 Japan
Phone:81-3-3723-0131
Fax:81-3-3723-0152
E-mail:info@kew-ltd.co.jp
Factory:Ehime, Japan

<http://www.kew-ltd.co.jp>



PRINTED WITH SOY INK™

In consideration of the environment, soy ink and recycled paper were used in this publication.

●The contents of this leaflet are subject to change without notice.

KEW 3121A/3122A/3123A-1E Mar. 11 AD

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Kyoritsu manufacturer:

Other Similar products are found below :

[KEW1012](#) [KEW1030](#) [KEW105811](#) [KEW105816](#) [KEW2010](#) [KEW2012RA](#) [KEW2055](#) [KEW2210R](#) [KEW2413F](#) [KEW2433R](#) [KEW2500](#)
[KEW3551](#) [KEW5020](#) [KEW5406A](#) [KEW5711](#) [KEW7066A-PP10A](#) [KEW7073](#) [KEW7122B](#) [KEW7127B](#) [KEW7141B](#) [KEW7161A](#)
[KEW7218R](#) [KEW7256](#) [KEW8112](#) [KEW8127](#) [KEW9095](#) [KEW9107](#) [KEW9154](#) [KEWMATE 2000A](#) [KEWMATE 2001A](#)