

Wide Band Mobile Load Coil Antenna

B1360W

Innovative **Technology** for a **Connected** World



PREMIUM MOBILE LOAD COIL ANTENNAS ARE INDUSTRY STANDARD

Laird Technologies'ongoing commitment to refinement in mechanical and electrical design has resulted in the most technically advanced mobile load coil antennas on the market. Exclusive features such as stainless steel whips, housings constructed with ABS material injected molded around a solid brass insert, and gold plated push pin contacts make Laird Technologies the obvious choice for quality and long lasting value for demanding mobile radio communications.

FEATURES ROHS

- High performance wide band mobile antenna
- Special UV treated radome, resists sun damage
- Easy installation with optional NMO Mounts
- 100% tested on a network analyzer

MARKETS

- Public safety
- Transportation
- Utility
- Military mobile

SPECIFICATIONS

ELECTRICAL	
Frequency range	136-174 MHz
Center frequency	155 MHz
Gain	Unity
Pattern	Omnidirectional
Maxmium power	100 W
Nominal impedance	50 Ω
Polarization	Vertical
VSWR	≤2.0:1
Termination	1-1/8"-18 thread (NMO) mounts
Mounting options (sold separately)	3/4" or 3/8" NMO magnetic or trunk mount
Radiator	17-7ph straight stainless steel
Shock spring	302 stainless steel
Base housing material	Molded ABS
Noise suppressor (sold separately)	Blackhawk NS1535

Approximately 19.5" 49.4cm)
1.44" (36.58mm)
0.590 lbs (9.44 oz)
0.049 sq ft

global solutions: local support $_{\scriptscriptstyle{\text{TM}}}$

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12 IAS-EUSales@lairdtech.com Asia: +1.65.6.243.8022 IAS-AsiaSales@lairdtech.com

www.lairdtech.com





Wide Band Mobile Load Coil Antenna

B1360W

Innovative **Technology** for a **Connected** World

ANTENNA PATTERNS AND VSWR CHARTS





VSWR Plot at 136-174MHz

SYSTEM ORDERING INFORMATION

B1360W Chrome B-Coil Wide Band Antenna BB1360W Black B-Coil Wide Band Antenna

B1360WS Chrome B-Coil Wide Band Antenna w/Spring
BB1360WS Black B-Coil Wide Band Antenna w/Spring

ANT-DS-B1360W 0310

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies found not be laired for incidental or consequential damages of any kind. All Laird Technologies roughes materials or products for any specific or general uses. Laird Technologies found in the lair Technologies (a) Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies Long, and other marks or resistered trade marks of Laird Technologies. Inc. and nother marks are resistered trade marks of Laird Technologies Long, and the company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352