



B1360W

Wide Band Mobile Load Coil Antenna 136-174 MHz

Laird Connectivity's ongoing commitment to refinement in mechanical and electrical design has resulted in the most technically advanced mobile load coil antennas on the market. Exclusive features such as stainless-steel whips, housings constructed with ABS material injected molded around a solid brass insert, and gold-plated push pin contacts make Laird Connectivity the obvious choice for quality and long-lasting value for demanding mobile radio communications.

FEATURES AND BENEFITS

- High performance wide band mobile antenna
- Special UV-treated radome, resists sun damage
- Easy installation with optional NMO mounts
- 100% tested on a network analyzer

APPLICATION

- Public safety
- Transportation
- Utility
- Military mobile

ELECTRICAL SPECIFICATIONS

Model Name	B1360W
Operating Frequency (MHz)	136-174
Number of Ports	1 (VHF)
Center Frequency (MHz)	155
Gain	Unity
Pattern	Omnidirectional
VSWR	≤ 2.0:1
Nominal Impedance (Ohms)	50
Max Power - Ambient 25°C (W)	100
Polarization	Vertical

MECHANICAL SPECIFICATIONS

Length - cm (inches)	-49.4 (-19.5)
Diameter - mm (inches)	36.58 (1.44)
Weight - kg (oz.)	0.268 (9.44)
Termination	1-1/8" - 18 thread (NMO) mounts
Mounting Options (sold separately)	3/4" or 3/8" NMO magnetic or trunk mount
Radiator	17-7ph straight stainless steel
Shock Spring	302 stainless steel
Base Housing Material	Molded ABS
Noise Suppressor (sold separately)	Blackhawk NS1535

ENVIRONMENTAL SPECIFICATIONS

Operating Environment (Indoor or Outdoor)	Outdoor
Wind Resistance - sq. ft.	0.049
Material Substance Compliance	RoHS


CONFIGURATION

PART NUMBER	DESCRIPTION
B1360W	Chrome B-coil wide band antenna
BB1360W	Black B-coil wide band antenna
B1360WS	Chrome B-coil wide band antenna w/ spring
BB1360WS	Black B-coil wide band antenna w/ spring


RADIATION PATTERNS

154 MHz


Azimuth Plot



Elevation Plot



VSWR PLOT AT 136-174MHZ



TE TECHNICAL SUPPORT CENTER

USA: +1 (800) 522-6752
 Canada: +1 (905) 475-6222
 Mexico: +52 (0) 55-1106-0800
 Latin/S. America: +54 (0) 11-4733-2200
 Germany: +49 (0) 6251-133-1999
 UK: +44 (0) 800-267666
 France: +33 (0) 1-3420-8686
 Netherlands: +31 (0) 73-6246-999
 China: +86 (0) 400-820-6015

te.com

TE Connectivity, TE Connectivity (logo) and Every Connection Counts are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

TE warrants to the original end user customer of its products that its products are free from defects in material and workmanship. Subject to conditions and limitations TE will, at its option, either repair or replace any part of its products that prove defective because of improper workmanship or materials. This limited warranty is in force for the useful lifetime of the original end product into which the TE product is installed. Useful lifetime of the original end product may vary but is not to exceed five (5) years from the original date of the end product purchase.

©2021 TE Connectivity. All Rights Reserved.

11/21 Original



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Laird Connectivity](#) manufacturer:

Other Similar products are found below :

[930-033-R](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [108-00014-50](#) [66089-2406](#) [SPDA17RP918](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [108-00016-050](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1049B090](#) [TRABT1560](#) [W3118A](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [0600-00060](#) [Y4503](#) [GD5W-28P-NF](#) [PAL90209H-FNF](#) [MA9-7N](#) [GD53-25](#) [C37](#) [MAF94051](#) [S9025PLSMF](#) [EXD420PL](#) [B1322NR](#) [MAF94300](#) [FG4403](#) [MIKROE-2393](#) [DA5-32RADOME](#) [BB1442NR](#) [5200227](#) [GPSCPMM00](#) [ANTDOM-05-01-WPM](#) [ANT-WP868SMA-Y](#) [EXW30BNX](#) [OSCAR1A/5M/SMAM/S/S/31](#) [ALPHA4A/1M/SMAM/S/S/26](#) [OSCAR1A/10M/SMAM/S/S/31](#) [OSCAR40/5M/LL/SMAM/S/S/33](#) [OSCAR40/10M/LL/SMAM/S/S/33](#) [TANGO41/1M/SMAM/S/S/32](#) [ANTX100ETBAB24553](#) [S4908WBFNM](#) [FXR.01.07.0100C.A](#) [GD57-21001-0016](#)