



MULTI-BAND CEILING MOUNTED OMNIDIRECTIONAL ANTENNA

The CMS69273/CMS69273S is an indoor wideband omnidirectional ceiling mount antenna. It is designed to provide pattern coverage that is optimized for indoor coverage requirements at 698-960 MHz, 1575 MHz, and 1710-2700 MHz for the GSM, DCS, UMTS, and LTE/WiMAX frequency bands. The antenna features a pattern that has been specifically shaped to provide optimal performance from a ceiling mount location. The pattern is also very uniform and symmetrical, providing system integrators with the ability to precisely determine cell size.

FEATURES **Rohs**

- Mounts directly and easily to ceiling tile
- Performance optimized using Laird Technologies proprietary RF optimization tools
- Excellent flame rating

MARKETS

- Meeting rooms
- Offices
- Hotels
- Bus terminals
- Train stations
- Museums
- Libraries
- Retail malls
- Other in-building areas

SPECIFICATIONS	
Model	CMS69273/ CMS69273S
Frequency	698-960 MHz/1575 MHz/ 1710-2700 MHz
Peak Gain	1 dBi/2 dBi/3 dBi
VSWR	2.0:1/2.5:1/2.0:1
H-Plane (3 dB beamwidth)	Omnidirectional
Polarization	Linear, Vertical
RF Connector	N female
Cable	305mm, Plenum rated
Enclosure	PC/ABS, UV stable
Antenna Weight	0.34 kg
Power	25 watts
Mounting	CMS69273: Ceiling Mount (flush mount with screws and anchors) CMS69273S: Ceiling Mount (flush mount with screws and anchors or threaded stem)
Nominal Impedance	50 ohm
Operational Temperature	-30°C to +70°C
Storage Temperature	-40°C to +85°C
Material substance compliance	RoHS 6/6
Flammability Rating	UL-94V0 Materials
Dimensions	Diameter 199 mm x Height 86 mm

IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12 IAS-EUSales@lairdtech.com

Asia: +1.65.6.243.8022 IAS-AsiaSales@lairdtech.com

www.lairdtech.com

Americas: +1.847 839.6907	,

CMS69273S


CMS69273







CMS69273/CMS69273S 698-960 MHz/1575 MHz/1710-2700 MHz Ceiling Mount Antenna



ANT-DS-CMS69273_CMS69273S 090414

Any information furnished by Laird and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird, Laird Technologies, In cor any of its affiliates or agents shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Technologies, In cor any of its affiliates or of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2014 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trademarks or registred trademarks of Laird Technologies, Inc. an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352