

## **Quad-band Omnidirectional Antenna**

FG16397

Innovative **Technology** for a **Connected** World



## FIBERGLASS BASE STATION ANTENNAS FEATURE INDUSTRY LEADING DESIGN COMPONENTS THAT PERFORM IN EXTREME CONDITIONS

The FG16397 quad-band omnidirectional base station antenna incorporates a collinear design that is enclosed in high density fiberglass, which is covered with a protective ultraviolet inhibiting coating. The radiating elements are made from high efficiency copper and are carefully phased to provide maximum gain in the horizontal plane. The mounting sleeves are tuned to eliminate RF currents from the transmission line, resulting in a "cold" sleeve that allows for greater freedom in mounting. The antenna's high quality and well-focused beam provides the best efficiency with highest gain.

#### **FEATURES**

- Quad-band
- Every FG fiberglass base antenna is tested on a network analyzerbefore shipping to assure the best performance
- Special UV Treated Stands up to the sun
- Durable gold anodized sleeve and cap with N-female connector
- FedEx/UPS Shippable

### **MARKETS**

- Omnidirectional outdoor antenna applications used in commercial, public safety, and government applications around the globe
- Typical applications include land based and marine radio and voice and data transmission
- The quad-band feature allows the antenna to be used in many diverse applications

ELECTRICAL SPECIFICATION	NS				
Frequency Range	806-896 MHz	890-960 MHz	1850-1990 MHz	2400-2500 MHz	
Peak Gain	2 dBi	1 dBi	3.3 dBi	2 dBi	
Elevation Beamwidth at Half-Power	110°	90°	60°	70°	
Azimuth Beamwidth at Half-Power	360°	360°	360°	360°	
MECHANICAL SPECIFICATIONS		All data relevant to all frequencies			
Maximum Power	100 Watts				
Nominal Impedance	50Ω				
Polarization	Vertical				
VSWR	≤ 2.0:1				
Termination	N-Female Connector				
Mounting Bracket		Optional p/	Optional p/n: FM2SP Mounting Kit		
Lightning Protection	Lightning Arrestor p/	Lightning Arrestor p/n: LABH350NN (sold separately)			
Antenna Length		14" (35.56cm)			
Weight (Mass)		0.844 lbs			
Diameter		1.310" (33.27mm)			
Rated Wind Velocity		12	125mph (210kph)		
Rated Wind Velocity (with 1/2"(12.7mm) radial ice)		85	85mph (137kph)		
Wind Resistance		(	0.1245 sg. ft		

### global solutions: local support ™

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12 IAS-EUSales@lairdtech.com Asia: +1.65.6.243.8022 IAS-AsiaSales@lairdtech.com


www.lairdtech.com



# **Quad-band Omnidirectional Antenna**

FG16397

Innovative **Technology** for a **Connected** World



#### ANT-DS-FG16397 0510

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies Formation of the Laird Technologies Terms and Conditions of sale in effect from time to time, a copy of which will be turnished upon request. © Copyright 2010 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are tade marks or registered trade marks of Laird Technologies. Or on a militate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352