

Asset Tracking External Antenna

Mini GPS



PRODUCT DESCRIPTION/TITLE

The Laird GPSU1575P or Mini GPS is a rugged, high performance, and cost effective solution for most GPS or asset tracking applications. The small form factor makes it easy to install on or in vehicles or buildings. It is designed to withstand impact as well as water and dust intrusion (IP67 rated). The antenna can be configured with different cable types, in varying lengths and with various connector types.

Laird has a full line of high performance, cost effective GPS antennas for any telematics or GPS application.

FEATURES AND BENEFITS

- High performance in a small form factor
- IP67 rated for use in highly demanding environments and operating conditions
- Rugged impact resistant housing
- Various connector options

MARKETS

- Fleet and logistics management
- General automotive aftermarket
- Highway construction
- · Land Surveying and management
- · Asset visibility and tracking
- Warehouse management

| SPECIFICATIONS | |
|----------------------------|---|
| Frequency Center | 1575.42 MHz +/-3 MHz |
| Gain | 28 dBi Typical 32dB (Max) |
| Polarization | RHCP |
| Output Impedance | 50 Ohms |
| VSWR | 2.0:1 |
| Input Power | -30 dBm |
| Noise Figure | 1.5 dB Max (@2.5~5 Vdc, 1575.42 MHz) |
| Supply Voltage | 2.5 ~ 5 Vdc |
| Current Max | 15 mA |
| Diameter | 1.91"x0.67" |
| Radome Material | Lexan PC Impact UV Stabilized |
| Operating Temperature | -35°C to +75°C |
| Ingress Protection | IP - 67 |
| Mounting method | Aluminum Stud $\&$ Base M12 X 1.5 Thread, stainless steel Lock Washer and Heavy Duty Nut. |
| Bandwidth | ±2.0 [1573.42 – 1577.42 MHz] |
| Intersection Loss BW | 3.5 dB Max |
| Attenuation Absolute Value | 45 dB min. @ 1475.42 MHz |
| | 25 dB min. @ 1525.42 MHz |
| | 18 dB min. @ 1625.42 MHz |
| | |

Americas: +1.847 839.6907

IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com


www.lairdtech.com




Asset Tracking External Antenna


Mini GPS

Y





| ORDERING INFORMATION | |
|----------------------|-----------------------------|
| GPS1575SP26-004 | 80" RG174 w/ RA MMCX |
| GPS1575SP26-005 | 80" RG17A w/ MCXM |
| GPS1575SP-300SMAM | 3m RG174 with straight SMAM |
| | |



IAS-DS-GPS1575_060217

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not laible for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird, Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352