

Smart Technology. Delivered.

Flat Panel Wide-Band Antenna PA58



5150 TO 5825 MHz OPERATION FLAT PANEL WIDE-BAND ANTENNA

The 5 GHz wide-band flat panel directional antennas by Laird offer high gain in a thin low profile package. The antennas are constructed of a gray color UV resistant ABS plastic radome with an aluminum backplate. The antenna can be used in horizontal or vertical polarization. The die cast aluminum bracket affords $\pm 45^{\circ}$ up or down tilt adjustment and the stainless steel hardware assures a long service life. The antenna can be surface mounted or pole mounted. The antenna comes with an integral N female connector standard.


FEATURES **V**ROHS

- High gain/low profile/wide-band
- Pole mount or surface mount
- Rugged and weatherproof
- Vertical or horizontal polarization
- Type N female connector


ANTENNA PATTERNS

MARKETS

- 5 GHz wireless LAN applications
- Client antennas
- 802.11a applications
- OEM wireless data
- WiMAX



PA58-19



PA58-24

Americas: +1.847 839.6927 IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com

Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

www.lairdtech.com



Smart Technology. Delivered.

Flat Panel Wide-Band Antenna PA58

SPECIFICATIONS

PARAMETER	MODEL	MIN	ТҮР	MAX	UNITS
Frequency Range		5150		5825	MHz
Gain	PA58-19 PA58-24		19 24		dBi
Horizontal Beamwidth	PA58-19 PA58-24		16 8		Deg
Vertical Beamwidth	PA58-19 PA58-24		16 8		Deg
Front to Back	PA58-19 PA58-24	30 40			dB
Cross Polarization		25			dB
VSWR	5150-5350 MHz 5470-5825 MHz		2.0:1 1.5:1		
Impedance			50		OHM
Input Power				100	W
Operating Temperature		-40		+70	°C
Pole Size		1 (25)		2.5 (64)	in (mm)
Weight	PA58-19 PA58-24	17.6 (0.5) 60 (1.7)		oz (kg)	
Dimension (L x W x Thick)	PA58-19 PA58-24	7.5 x 7.5 x 0.8 (190 x 190 x 20) 15.4 x 14.6 x 0.8 (390 x 371 x 21)			in (mm)
Bracket Tilt			45		

WIND LOADING (LBS.)

MODEL	SQ. IN	100 MPH	125 MPH	100 MPH WITH ½ IN RADIAL ICE
PA58-19	56	14 lbs	22 lbs	14 lbs
PA58-24	163	41 lbs	64 lbs	41 lbs

SYSTEM ORDERING INFORMATION

PA58-19	Wide-band 5.1 to 5.8 GHz 19 dBi flat panel directional antenna
PA58-24	Wide-band 5.1 to 5.8 GHz 24 dBi flat panel directional antenna



NOTES

• All shipments F.O.B. Schaumburg, IL 60173

ANT-DS-PA58 1115

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchanability or suitard materials rous or products for any specific or general uses. Laird hall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird in c. All Rights Reserved. Laird, Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. Bird Hall can are trademarks or registered trademarks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352