



5.150-5.875 GHz WIDE-BAND OMNI ANTENNA

Laird Technologies' S5153WBPX omni antenna provides wide-band and high-gain performance in the 5.150 to 5.875 GHz band. Designed to aesthetically complement indoor environments, the antenna is also robust enough for the demanding outdoors. These characteristics give systems integrators a single antenna to be used in a wide variety of point-to-multipoint applications. Its wide bandwidth capability covers UNI I, II, and III frequencies, and WLAN standards. All-in-one package includes ceiling clip, I-beam clamp, and mast mounting hardware, eliminating the need to stock and carry separate antennas for each application.

This antenna configuration provides an excellent solution for systems installers to build out seamless microcellular and picocellular sites quickly and efficiently. Lightweight and compact, the antenna provides coverage for large indoor open spaces, locations with high ceilings, and many places where extended coverage is needed.


FEATURES 

- 6.0 dBi gain
- Slim aspect 11.5" x 1"
- 5150-5875 MHz frequency range


MARKETS

- Warehouses, offices, and healthcare facilities
- Educational or industrial campuses
- Shopping malls
- WiMAX

PARAMETER	SPECIFICATION
Frequency (GHz)	5.150 - 5.875
Gain (dBi)	6 (nominal)
E-Plane (3 dB beamwidth)	17°
H-Plane (3 dB beamwidth)	Omnidirectional
Polarization	Vertical Linear
Weight (Antenna Only) lb. (kg)	0.3 (0.14)
VSWR	2:1
Mounting Style	Beam, Mast, Ceiling
Dimensions (in.)	11.5 x 1.0
Pigtail	12 in
Enclosure	Acrylic/PVC
Power (Watts)	10
RF Connector	SMA



H-PLANE



E- PLANE

global solutions: local support™

Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12
IAS-EUSales@lairdtech.com

Asia: +1.65.6.243.8022
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-S5153WBPX 0611

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies' Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2011 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Laird Connectivity](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [SPDA17RP918](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [Y4503](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [C37](#) [MAF94051](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#) [MIKROE-2352](#)