



Smart Technology. Delivered.™

Phantom Technology Antenna

142-160 MHz

TRAT1420



PHANTOM TECHNOLOGY ANTENNA TRAT1420 142-160 MHz

Laird's unique patented Phantom® is a tough antenna for outdoor or indoor applications. Measuring only 3.5" tall, this mechanically robust design has a low angle radiation pattern that is superior to traditional gain antennas in most applications and can therefore be used in both ceiling mount and surface mount installations.

The industry standard NMO mounting socket mates with all Laird's magnetic, Trunk lids, and hole mounts. The Phantom® patented technology is beneficial when high performance, a low profile and extreme ruggedness are desired.

FEATURES

- Mechanically robust for both Indoor/Outdoor applications.
- Phantom out-performs a 3 dBi whip in many applications
- Compact/Low Profile VHF Antenna

BENEFITS

- Public Safety
- Transportation
- Unity
- Military Mobile
- Fixed Radio Applications

SPECIFICATIONS


ELECTRICAL	PERFORMANCE
Frequency Range	142-160 MHz, Field Tunable
Frequency Bandwidth	2.0 MHz
VSWR	<2.0:1
Return Loss	-10 dB min
Nominal Gain	Unity -11 dBi (elevation - 90°)
Maximum Power	60 W
Nominal Impedance	50Ω
Polarization	Vertically Polarized
Pattern	Omnidirectional
Vertical Beamwidth	80°
Lightning Protection	AC Ground
Cable	None
Termination	NMO
Tuning	Tunable Coil with Turning Key Provided

MECHANICAL	PERFORMANCE
Size	Width - 3-1/4"
Height	3-1/2"
Weight	0.25 lbs
Finish	GE X-17 ABS
Color	White (Black also available)

MOUNTING

Designed to	4'x4' metallic ground plane Mobile applications
-------------	--

ANTENNA RADIATION PATTERN



Representative Azimuth Field Pattern

ANT-DS-TRAT1420 0816

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2016 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Laird Connectivity](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [SPDA17RP918](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [Y4503](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [C37](#) [MAF94051](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#) [MIKROE-2352](#)