

DiPole ComAer 2.4: WCP External Antenna – Snap-in/Captive

Innovative **Technology** for a **Connected** World



Laird Technologies' practical and rugged external wireless device antennas are designed to fit into the portable devices used in office, industrial, and home environments. The antennas feature flexible elements and many are ½ wave coaxial dipole design for reduced ground dependence and improved performance.

FEATURES **V**ROHS

- Fits in .25" case up to .070" thick
- Alignment notches to prevent rotation
- Sub-miniature right angle coax connector
- 1/2 wave coaxial dipole
- Flexible element
- Snap-in
- Clutch allows 360° rotation
- FCC Part 15 compliant polarized connector

MARKETS

- Bluetooth[®] devices
- IEEE 802.11b/g devices

global solutions: local support...

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12 IAS-EUSales@lairdtech.com


Asia: +1.65.6.243.8022 IAS-AsiaSales@lairdtech.com

www.lairdtech.com



DiPole ComAer 2.4: WCP External Antenna – Snap-in/Captive

Innovative **Technology** for a **Connected** World



| PECIFICATIONS | | |
|-------------------|--|--|
| Frequency | 2.4 - 2.5 GHz | |
| Polarization | Vertical | |
| Gain | MMCX2 2.5 dBi MMCX4 2.5 dBi MMCX6 2.0 dBi MMCX8 1.5 dBi MMCX12 1.0 dBi | |
| Nominal Impedance | 50 ohms | |
| VSWR | 2.0:1 max at resonance | |
| Power Rating | 10 watts | |
| Size (Length) | 7cm | |
| Temperature Range | -40° to +80° | |
| Drop Test | 1M | |

| MODEL NUMBER | PART NUMBER | CABLE | CONNECTOR |
|----------------|-------------|------------------|----------------|
| WCP2400-MMCX2 | CAF28841 | 2" Brown RG-178 | MMCX plug R.A. |
| WCP2400-MMCX4 | CAF28841 | 4" Brown RG-178 | MMCX plug R.A. |
| WCP2400-MMCX6 | CAF28841 | 6" Brown RG-178 | MMCX plug R.A. |
| WCP2400-MMCX8 | CAF28841 | 8" Brown RG-178 | MMCX plug R.A. |
| WCP2400-MMCX12 | CAF28841 | 12" Brown RG-178 | MMCX plug R.A. |

ANT-DS-DIPOLE-WCP 0409

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies frams and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyinght 2009 Laird Technologies (Laird Technologies, the Laird Technologies, and other marks are trade marks or registered trade marks or Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2352