


Y(B)1503

Directional Yagi Antenna



GOLD ANODIZED YAGI ANTENNA INSURES LONG-TERM PERFORMANCE

Laird's premium series Directional Yagi antennas are fully gold anodized for corrosion resistance. Our engineering staff has also optimized the product family for forward gain by computer analysis and then field-tested each for conformance.

FEATURES

- Every Yagi is tuned on a network analyzer for best power match and lowest VSWR.
- All Yagi antennas ship complete with a high quality cast aluminum mounting kit that includes stainless steel hardware and allows vertical or horizontal orientation during installation. (VHF models require light assembly)
- Available in gold or black (B) anodized finish


APPLICATIONS


- Point to point directional and multiple point to omnidirectional outdoor antennas applications used by private organizations and government agencies around the globe.
- Typical applications include transportation such as railroad switching, remote locations reporting examples that include oil fields and weather conditions and meter data transmissions for utilities.


ı
١
ı
!
(
Ī
(
(
ı
_

MECHANICAL SPECIFICATIONS		
Material	Aluminum	
Length	41-1/2"	
Height	39-1/4"	
Boom Diameter	7/8"	
Weight	4 lbs	
Rated Wind Velocity	150 mph (241 kph)	
Rated Wind Velocity (with 0.5" radial ice)	80 mph (130 kph)	
Equivalent Flat Area	0.504 sq. ft.	
Cable	None	
Termination	N-Female connector	
Color	Gold or Black Anodized	
Lightning Protection	Lightning Arrestor LABH350NN (Sold Separately)	
Mounting Included	Heavy duty cast aluminum bracket accomodates up to 7/8" mast	

ELECTRICAL SPECIFICATIONS		
Frequency Range	150 – 174 MHz	
Frequency Bandwidth	3 MHz typical	
VSWR	< 2:1	
Return Loss	-10dB max	
Nominal Gain	7.1 dBd	
Front to Back Ratio	17 dB	
Maximum Power	300 W	
Nominal Impedance	Ω50	
Polarization	Vertical or Horizontal	
Pattern	Directional	
Horizontal Beamwidth (For Horizontal Polarization)	78°	
Vertical Beamwidth (For Vertical Polarization)	74°	
Tuning	See cutting chart	
Transmitting/Receiving	Both	







Horizontal-to-Horizontal Polarization Azimuthal Pattern (Y, Z, or H-plane)

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Heavy-Duty Mounting Kit Included

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-Y(B)1503 0115

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies maters no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2009 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Long, and other marks are trade marks of taird enarls of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352