

# Yagi NLOS Antennas YA9-9/YA9-11/YA9-13



### 860 TO 960 MHz NLOS YAGI ANTENNA

The NLOS series antenna system offered by Laird Technologies is constructed of stainless steel for outstanding service life. Individual elements are welded to the main beam for permanent attachment. Welded elements give more consistent signal performance because they ensure high conductivity across the antenna surface. These antennas have high gain and good front to back performance to minimize external interference. They can be mounted in vertical or horizontal polarization. They come standard with an 18 inch pigtail cable terminated with an N female connector. Other connector types are available upon request.

### FEATURES **VROHS**

- High-gain directional antenna
- Available in 9, 11, and 13 dBi gain models
- Stainless steel construction, low wind loading
- Simple installation vertical or horizontal polarization
- 18 in pigtail with type N female connector standard
- DC ground for lightning protection

### MARKETS

- 900 MHz ISM band applications
- Non line-of-sight applications
- WISP CPE equipment
- Cellular applications
- WiMAX

### **SPECIFICATIONS**

PARAMETER	YA9-9	YA9-11	YA9-13
Frequency range	860 - 960 MHz	860 - 960 MHz	860 - 960 MHz
VSWR	1.5:1	1.5:1	1.5:1
Impedance	50 ohm	50 ohm	50 ohm
Input power	100 watts	100 watts	100 watts
Pole size	1 to 2 in (25 to 51 mm)	1 to 2 in (25 to 51 mm)	1 to 2 in (25 to 51 mm)
Operating temperature	-45° to +70°C	-45° to +70°C	-45° to +70°C
Rated wind velocity	125 mph (56 m/sec)	125 mph (56 m/sec)	125 mph (56 m/sec)
Gain	9 dB	11 dB	13 dB
Number of elements	5	8	15
Beamwidth	53°	50°	30°
Front to back	> 14 dB	> 15 dB	> 18 dB
Weight	1.9 lbs (0.7 kg)	2.4 lbs (0.9 kg)	3.3 lbs (1.25 kg)
Length dimension element width ~ 6" (152 mm)	19.7 in (0.5 m)	35.4 in (0.9 m)	57 in (1.45 m)


### WIND LOADING (LBS.)

MODEL	SQ. IN	100 MPH	125 MPH	100 MPH WITH ½ INCH RADIAL ICE
YA9-9	19	4.75 lbs	7.42 lbs	8 lbs
YA9-11	29	7.25 lbs	11.3 lbs	12 lbs
YA9-13	45	11.3 lbs	17.6 lbs	21 lbs

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com Europe:+44.1628.858941 IAS-EUSales@lairdtech.com Asia: ++86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com www.lairdtech.com



## Yagi NLOS Antennas YA9-9/YA9-11/YA9-13



### SYSTEM ORDERING

- YA9-9 9 dB NLOS series 900 MHz Yagi antenna with N female connector
- YA9-11 11 dB NLOS series 900 MHz Yagi antenna with N female connector
- YA9-13 13 dB NLOS series 900 MHz Yagi antenna with N female connector

#### **NOTES**

• All shipments F.O.B. Schaumburg, IL 60173

#### ANT-DS-YA9 0316

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird shall not ential or portuguts for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2016 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Laird pactures are trade marks of Laird inc. or an affinitate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Laird Connectivity manufacturer:

Other Similar products are found below :

 CCT
 FM1
 ABFT
 AD-NM-SMAF
 001-0021
 CTC110
 MAF94149
 EXE902SF
 MMCX-SMA-100
 PDQ24496-91NF
 GAN30084EU
 930 

 033-R
 A08-HABUF-P5I
 AAF95035
 DG-ANT-20DP-BG-B
 APAMPGJ-141
 1513563-1
 OF86315-FNF
 OP24516DS-91NM
 A09-HASM-7

 EXE902MD
 EXE902SM
 SPDA17806/2170LAR
 APAMPG-117
 GPS1575SP26-004
 GPS15MGSMA
 CMD69273P-30NF
 CMQ69273-30NF

 RD2458-5-OTDR-NM
 RD2458-5-RSMA
 TRAB24/49003
 W4120ER5000
 W6102B0100
 YE572113-30RSMM
 108-00014-50

 SPDA17RP918
 OP24516SX-91NM
 OP24516SX-91RSMM
 CMQ69273P-30NF
 CMS69273-30NF
 CMS69273P-30NF
 TRAB24003N

 TRAB24003NP
 TRAB8903
 A09-Y8NF
 A09-Y11NF
 A09-F8NF-M
 A09-F5NF-M