

Eccosorb[®] QR-13AF

Lossy, Flexible, Fire Retardant, Foam Microwave Absorber

LOSSY FLEXIBLE FIRE RETARDANT FOAM ABSORBER

Eccosorb QR-13AF is an environmentally friendly UL-94-HF-1 rated material, free of antimony and chlorinated polymers. It is a high loss, flexible, non-magnetic, low-dusting microwave absorber sheet. Eccosorb QR-13AF is electrically conductive.

FEATURES AND BENEFITS

MARKETS

- Flexible, foam material
- Commercial Telecom
- Security and Defense
- High loss, low densityFire retardant

SPECIFICATIONS

TYPICAL PROPERTIES	ECCOSORB QR-13AF
Service Temperature °C (°F)	-70 to 93 (-94 to 200)
Frequency Range	≥ 1 GHz
Fire Retardancy	UL94-HF-1
Dusting	Negligible

Data for design engineer guidance only. Observed performance varies in application.

Engineers are reminded to test the material in application.

*Please note that Eccosorb QR-13AF with PSA or with a coating is not UL rated.

APPLICATIONS

 Eccosorb QR-13AF is designed to suppress cavity resonances in shielded high-frequency modules and to absorb parasitic radiation emanating from high speed electronic circuits by insertion loss.

AVAILABILITY

- Standard sheets are 610mm x 610mm (24"x24").
- Standard thicknesses are 3.2 mm (1/8") and 6.4 mm (1/4"), other thicknesses available upon request.
- It is available in other sizes and customer specified configurations upon request
- Eccosorb QR-13AF can also be supplied with a pressure sensitive adhesive (PSA)*
- Eccosorb QR-13AF can be supplied with a coating to prevent moisture uptake in high humidity to moderately wet environments upon request.*

Americas: +1.866.928.8181 Europe: +49.(0)8031.2460.0 Asia: +86.755.2714.1166

www.lairdtech.com






Eccosorb® QR-13AF

INSTRUCTIONS FOR USE

- Eccosorb QR-13AF can be securely bonded to itself or to other materials such as metal, wood and common plastic composites. The recommended adhesive is our Eccostock [®] foam Adhesive.
- It can be easily cut with a knife, scissors, or die.



RFP-DS-QR-13AF 093015

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user. Laird Technologies makes no warranties as to the fitness, merchantability, suitability or non- infringement of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies 'Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Technologies, the Laird Technologies, and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for EMI Gaskets, Sheets, Absorbers & Shielding category:

Click to view products by Laird Performance Materials manufacturer:

Other Similar products are found below :

23-76FSC-SN-24 2-1616323-1 4-1616259-0 3013350A 46J8501020.NN00 3013310A 3013325A 3013308A 3020604 55005106 3021302 3031313 67SLH050050025PI00 3021310 0137131400 6-34UT-070-BD-16 303076048 46J5N03020.NN00 30206025 260737 30395641 3030403 3690103020 HNY-LT15CU4241 46X7503020.NN00 46X7501020.NN00 46W5E02520.NN00 46W5E01520.NN00 302095032 30207032 30210005 46J5N02520.NN00 3021213 3020804 3021004 74273711 74273704 33403 3031210 3031008 3031004 3030903 30308055 303076016 303045018 303035015 3029564 3025602 3023502 3022303