

HiTemp ET Series ET12,18,F2A,0606 Thermoelectric Modules



The HiTemp ET Series of Thermoelectric Modules (TEMs) are designed to operate in high temperature environments.

This product line is available in multiple configurations and is ideal for applications that operate in temperatures above 80°C. Assembled with Bismuth Telluride semiconductor material, thermally conductive Aluminum Oxide ceramics and high temp solder construction, the ET Series is designed for higher current and larger heat-pumping applications.

FEATURES

- High-temperature operation
- Reliable solid state
- No sound or vibration
- Environmentally-friendly
- RoHS-compliant

APPLICATIONS

- Automotive cooling
- Telecom cooling
- Outdoor environments
- Medical heating/cooling

| TECHNICAL SPECIFICATIONS | | | | | |
|---------------------------|------|------|--|--|--|
| Hot Side Temperature (°C) | 85 | 110 | | | |
| Qmax (W) | 1.76 | 1.80 | | | |
| Delta Tmax (°C) | 87 | 94 | | | |
| Imax (Amps) | 1.2 | 1.2 | | | |
| Vmax (Volts) | 2.65 | 2.88 | | | |
| Module Resistance (Ohms) | 2.06 | 2.28 | | | |


| SUFFIX | THICKNESS (PRIOR TO THINNING) | FLATNESS & PARALLELISM | HOT FACE | COLD FACE | LEAD LENGTH |
|--------|-------------------------------|------------------------|----------|-----------|-------------|
| 11 | 0.106" ±0.010" | 0.002"/0.002" | Lapped | Lapped | 2.25″ |


SEALING OPTIONS

| SUFFIX | SEALANT | COLOR | TEMPERATURE RANGE | DESCRIPTION |
|--------|---------|-------|-------------------|--|
| RT | RTV | Clear | -60 to +204 °C | Non-corrosive, silicone adhesive |
| EP | Ероху | Black | -55 to +150 °C | Low density syntactic foam epoxy encapsulant |




PERFORMANCE CURVES AT Th = 85° C





MECHANICAL DRAWING



NOTES:

- Maximum Operating Temperature: 150°C
- Do not exceed Imax or Vmax when operating module
- Reference assembly guidelines for recommended installation

COLD SIDE OPTION

HOT SIDE OPTION

Ceramic Material: Alumina(Al2O3) Solder Construction: 232°C SbSn

RoHS

Americas: +1.919.597.7300 Europe: +46.31.420530 Asia: +86.755.2714.1166 ets.sales@lairdtech.com www.lairdtech.com





Laird warrants to the original end user customer of its products that its products are free from defects in material and workmanship. Subject to conditions and limitations Laird will, at its option, either repair or replace any part of its products that prove defective because of improper workmanship or materials. This limited warranty is in force for the useful lifetime of the original end product into which the Laird product is installed. Useful lifetime of the original end product may vary but is not to exceed five (5) years from the original date of the end product purchase.

THICKNESS

(SEE OPTIONS)

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness,

merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2018 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Thermoelectric Peltier Modules category:

Click to view products by Laird Thermal Systems manufacturer:

Other Similar products are found below :

C3400-215 PE-127-08-25-S CP200543636 CP1054033H CP10205033 CP144745325 CP9040335H CP115035335 CP39234030H CP10304033 CP60302031H CP402533 CP902015343H CP2020405H 56760-512 CP076581-238 CP074965-238P CP076581-238P CP0734-238 CP074933-238 CP074933-277P CP073450-238 CP0734-277P CP074965-239 CP081030-M CP103033 CP105559415 CP10415273 CP1062-268 CP106283-268 CP106283-29P CP10726-268 CP10726-29P CP1062-268P CP1140203 CP11404432 CP1130325 CP124159365 CP12437 CP144044 CP147660-236P CP147660-195 CP151188-271 CP185039 CP1881-254P CP20147H CP203475H CP2088-219 CP2088-258P CP30138