


# 3R $\Phi 4 \times 12$ RoHS Compliant



## 超小型保险丝(延时型)

### Micro Fuse (Time-Lag) 350V/300V



测试标准:

Testing Standard:  
UL248-1 UL248-14

额定分断能力:

Interrupting Rating:  
100 Amperes at 300V/350V AC

工作温度:

Operating Temperature:  
-55°C ~ +125°C


材料:

Materials:  
End cap: nickel plated brass  
Ceramic tube: ceramic  
Lead wire: tinned copper wire  
Coat: epoxy resin

焊接方法:

Soldering Method:  
Wave soldering: 260°C, 10s max  
Manual soldering: 350°C, 5s max

Time-Current Characteristics  
电流-时间曲线图



#### 电气特性: Electrical Characteristics

额定电流的% % of Ampere Rating	熔断时间 Opening Time
100%	4 hours Min(大于4小时)
200%	60 s Max(小于60秒)

目录编号: Catalog No.H:350V G:300V

目录编号 Catalog No.	额定电流 Ampere Rating	额定电压 Voltage Rating	熔化热能 <sup>2</sup> Melting Integral (A <sup>2</sup> .S)	认证 Approvals
				● 表示已获认证 ● 表示认证中
3R0100H/G	100mA	350V/300V	0.01	●
3R0125H/G	125mA	350V/300V	0.02	●
3R0160H/G	160mA	350V/300V	0.04	●
3R0200H/G	200mA	350V/300V	0.07	●
3R0250H/G	250mA	350V/300V	0.08	●
3R0300H/G	300mA	350V/300V	0.13	●
3R0315H/G	315mA	350V/300V	0.16	●
3R0350H/G	350mA	350V/300V	0.18	●
3R0400H/G	400mA	350V/300V	0.35	●
3R0500H/G	500mA	350V/300V	0.48	●
3R0630H/G	630mA	350V/300V	0.70	●
3R0750H/G	750mA	350V/300V	0.75	●
3R0800H/G	800mA	350V/300V	0.80	●
3R1100H/G	1A	350V/300V	1.0	●
3R1125H/G	1.25A	350V/300V	1.9	●
3R1150H/G	1.5A	350V/300V	2.5	●
3R1160H/G	1.6A	350V/300V	3.2	●
3R1200H/G	2A	350V/300V	7.0	●
3R1250H/G	2.5A	350V/300V	10	●
3R1300H/G	3A	350V/300V	11	●
3R1315H/G	3.15A	350V/300V	12	●
3R1350H/G	3.5A	350V/300V	15	●
3R1400H/G	4A	350V/300V	19	●
3R1500H/G	5A	350V/300V	28	●
3R1630H/G	6.3A	350V/300V	50	●
3R1800H/G	8A	350V/300V	69	●
3R2100H/G	10A	350V/300V	98	●

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fuses with Leads - Through Hole](#) category:*

*Click to view products by [lanson](#) manufacturer:*

Other Similar products are found below :

[89096-013](#) [89096-015](#) [203004](#) [252001](#) [252010](#) [25202.5](#) [252.062](#) [263.500](#) [265.750](#) [272.005](#) [273.600V](#) [274.250](#) [SR-5H-5A-BK](#) [SS-5-800MA-AP](#) [SS-5F-3.15A-AP](#) [252004](#) [263.750](#) [273.005](#) [3701630000](#) [LKB-3](#) [0473004.MAT1L](#) [RST 2-BULK](#) [0473001.HAT1L](#) [0473002.HAT1L](#) [0473.500HAT1L](#) [SS-5-1.6A-AP](#) [SS-5F-2.5A-AP](#) [SR-5H-2.5A-AP](#) [SS-5-6.3A-BK](#) [SR-5H-4A-AP](#) [RST 5-AMMO](#) [SR-5H-3.15A-BK](#) [SR-5H-2A-BK](#) [RSTA 2 AMMO](#) [89096-005](#) [SR-5F-1-6A-BK](#) [SS-5FH-3.15A-AP](#) [SS-5-630MA-AP](#) [047301.5HAT1L](#) [3721100041](#) [SS-5H-1-25A-APH](#) [SR-5H-800MA-APH](#) [0034.722](#) [34.732](#) [22D03-200](#) [GFA-4](#) [0697A8000-01](#) [0697A9100-01](#) [008307X](#) [008313C](#)