


52220065	<b>DATA SHEET</b>	
Valid from: 13.08.2021	<b>SKINTOP® MULTI</b>	

The innovative multi-cable entry SKINTOP® MULTI is a polycarbonate shell with a gel insert as a sealing component. It provides an ideal sealing with a maximal packing density of a lot cables with different diameters. Due to the elastic gel membrane technology, it is possible to push the cable through and connect it directly. To ensure an optimum strain relief, the cable bundle can be fixed with help of a cable tie.



**Material:**

Shell: Polycarbonate (PC)  
Flat seal: Gel

**Technical characteristics:**

Protection class: IP66, IP67 and IP68 (0,1bar / 60min) acc. to EN 60529  
NEMA Type 1 and Type 5 acc. to UL50E

Temperature range: -30°C up to +100°C (UL: +50°C)

Material features: Self-extinguishing V-2 acc. to UL 94  
Oil, UV and ozone Resistant

Color: Black

**Types:**

Part No.	Part name	Max. number of terminals	Number of cable x cable-Ø
52220065	SKINTOP® MULTI Version 1	22	6 x 8-12 mm; 16 x 3-7 mm
52220073	SKINTOP® MULTI Version 2	21	5 x 2-6 mm; 8 x 4-8 mm; 3 x 5-9 mm; 2 x 8-12 mm; 1 x 12-16 mm; 2 x ASI BUS or 2 x 2-4 mm
52220080	SKINTOP® MULTI Version 3	30	30 x 2-6 mm
52220085	SKINTOP® MULTI Version 4	11	8 x 8-12 mm; 2 x 12-16 mm; 1 x 16-20 mm
52220101	SKINTOP® MULTI Version 5	27	27 x 4-8mm
52220104	SKINTOP® MULTI Version 6	24	10 x 2-6mm; 8 x 4-8mm; 4 x 7-11mm; 2 x 10-14mm

**Dimensions:** 46 mm x 144 mm x 14 mm

**Fixing holes:** 4 x 4,5mm for M4 fixing screw

**Approbation:**



**Norm Reference:**


Retention in acc. to EN 62444  
Protection class acc. to EN 60529

**Suitable accessory:**


SKINTOP® BRUSH ADD-ON 24

Creator: MAU1 /PDP Released: DAMU1/PDP	Document: DB52220065EN Version: 09	Page 1 of 4
---	---------------------------------------	-------------


## Mounting cut-out SKINTOP® MULTI




## SKINTOP® MULTI VERSION 1




## SKINTOP® MULTI VERSION 2




52220065	<b>DATA SHEET</b>	
Valid from: 13.08.2021	<b>SKINTOP® MULTI</b>	


### SKINTOP® MULTI VERSION 3



### SKINTOP® MULTI VERSION 4




### SKINTOP® MULTI VERSION 5



We reserve all rights according to DIN ISO 16016.  
PD 0019/05\_04.18EN

52220065	<b>DATA SHEET</b>	
Valid from: 13.08.2021	<b>SKINTOP® MULTI</b>	

### SKINTOP® MULTI VERSION 6



For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.

Creator: MAU1 /PDP Released: DAMU1/PDP	Document: DB52220065EN Version: 09	Page 4 of 4
---	---------------------------------------	-------------

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Grommets & Bushings](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[M10-036565-101](#) [M10-036565-183](#) [M10-036565-244](#) [205339-4](#) [SRB-R-6](#) [1398081-1](#) [HSS-M50-TPE-V0](#) [HSS-M80-TPE-V0](#) [205339-2](#)  
[M10-113812-010](#) [M10-113810-006](#) [2407](#) [2141-P](#) [2417-P](#) [3108-P](#) [2871-P](#) [1342664](#) [HTL-40-10-TPE RAL9005](#) [HTT-53](#) [HTT-29](#) [EPA 2160](#)  
[SET](#) [EPA 2260 SET](#) [EV-16-TPE RAL9005](#) [HTC-35-TPE RAL9005](#) [HTKC-25-TPE RAL9005](#) [ISM71073](#) [3600182](#) [MCA003AG12](#) [EDS](#)  
[M20 LGR](#) [EDS M25 LGR](#) [3600192](#) [EDS M32 LGR](#) [3600177](#) [EDS M32 SW](#) [3600191](#) [TET 20-26](#) [36001039](#) [100589](#) [EDK 40 OR](#) [3600173](#)  
[3600170](#) [MBB0629B11](#) [3600183](#) [36001012](#) [36001011](#) [36001029](#) [3600186](#) [3600193](#) [3600188](#) [3600187](#)