

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
<b>SKINDICHT® JT PTFE PG</b>		29.11.2013

Resistant to oil, water, alkaline solutions, acids, solvents, etc.  
Suitable for foodstuffs



Good chemical resistance



Food & Beverage



Acid-resistant



Temperature-resistant

**Application range**

PTFE sealing disks for SKINTOP® and SKINDICHT® cable glands

**Note**

Delivery will be made in the largest possible packing unit (bulk goods), minimum order quantity is one packing unit

**Remark**

Photographs are not to scale and do not represent detailed images of the respective products.

**Technical Data**

Colour delivered:	White
Material:	PTFE
Temperature range:	-120°C to +250°C Short-term: up to +300°C

Product Management	Document: LAPP_PRO1119EN.pdf	1 / 2
--------------------	------------------------------	-------



Part number	Article designation / size	Internal Ø/external Ø (mm)	Thickness (mm)
SKINDICHT® JT PTFE			
53801035	JT 7	12,5 / 16,5	2.0
53801045	JT 9	15,2 / 19	2.0
53801055	JT 11	18,6 / 22,5	2.0
53801065	JT 13,5	20,4 / 25	2.0
53801075	JT 16	22,5 / 27	2.0
53801085	JT 21	28,3 / 33,5	3.0
53801095	JT 29	37 / 43,5	3.0
53801105	JT 36	47 / 55	3.0
53801115	JT 42	54 / 63	3.0
53801125	JT 48	59,3 / 69	3.0

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[00008746](#) [00008749](#) [00008779](#) [00008822](#) [00008867](#) [00008899](#) [00008979](#) [00009045](#) [00100004](#) [00100014](#) [00100024](#) [00100034](#) [0010004](#)  
[0010005](#) [0010006](#) [0010007](#) [0010008](#) [0010009](#) [0010010](#) [0010011](#) [0010012](#) [0010016](#) [00100214](#) [00100224](#) [00100234](#) [0010025](#) [0010026](#)  
[0010027](#) [0010028](#) [0010029](#) [0010030](#) [0010031](#) [0010032](#) [0010033](#) [0010034](#) [00100414](#) [00100424](#) [00100444](#) [0010045](#) [0010046](#) [0010047](#)  
[0010049](#) [0010050](#) [0010052](#) [0010054](#) [0010056](#) [00100634](#) [00100644](#) [00100654](#) [00100664](#)