

## SILVYN® KLICK-Y (TPE)

SILVYN® KLICK-Y (TPE) - divider in Y-shape for SILVYN® RILL



Assembly time



Temperature-resistant

### Benefits

Easy to assemble  
High temperature resistance

### Application range

In combination with protective conduit:  
SILVYN® RILL PA 6  
SILVYN® RILL PA 12  
Y-distributor for SILVYN® RILL conduits

### Product Make-up

3 x conduit connection  
1 x bore hole for fixation with M4 screws

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC001172

ETIM 5.0 Class-Description: Coupler for corrugated plastic hoses

Classification ETIM 6:

ETIM 6.0 Class-ID: EC001172

ETIM 6.0 Class-Description: Coupler for corrugated plastic hoses

Colour delivered:

Grey (RAL 7031)  
Black (RAL 9011), UV-resistant

Material:

TPE

Protection rating:

IP 66

Temperature range:

-40 °C to +115 °C

Last Update (06.09.2020)

©2020 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## SILVYN® KLICK-Y (TPE)

**Note**

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

| Article number              | Nominal size  | For conduit with outer Ø (mm) | Suitable for SILVYN® RILL |
|-----------------------------|---------------|-------------------------------|---------------------------|
| SILVYN® KLICK-Y (TPE) grey  |               |                               |                           |
| 56000120                    | 3 x 10        | 10                            | 10                        |
| 56000140                    | 2 x 16/1 x 21 | 15.8 / 21.2                   | 16/21                     |
| 56000150                    | 2 x 21/1 x 28 | 21.2 / 28.5                   | 21/28                     |
| 56000160                    | 2 x 28/1 x 34 | 28.5 / 34.5                   | 28/34                     |
| SILVYN® KLICK-Y (TPE) black |               |                               |                           |
| 56000125                    | 3 x 10        | 10                            | 10                        |
| 56000145                    | 2 x 16/1 x 21 | 15.8 / 21.2                   | 16/21                     |
| 56000155                    | 2 x 21/1 x 28 | 21.2 / 28.5                   | 21/28                     |
| 56000165                    | 2 x 28/1 x 34 | 28.5 / 34.5                   | 28/34                     |

Last Update (06.09.2020)  
 ©2020 Lapp Group - Technical changes reserved  
 Product Management [www.lappkabel.de](http://www.lappkabel.de)  
 You can find the current technical data in the corresponding data sheet.  
 PN 0456 / 02\_03.16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Conduit Fittings & Accessories](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GN](#) [M3231GT](#) [VC-937-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#) [G6002](#)  
[M4340GAE](#) [G6003](#) [C2016-P](#) [C2012-P](#) [3407B](#) [1660-P](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.511.1601.14](#) [BVBV-P366](#) [VC-687-16/RED](#) [2276](#)  
[2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [920296](#) [2955](#) [M50](#) [2404-P](#) [C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-](#)  
[0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#) [DMPC0490-1/2A](#) [DMPC0521-1/2A](#) [DMPC0552-1/2A](#)