

## SILVYN® EDU-AS

SILVYN® EDU-AS is a metal conduit with steel wire braiding that protects from hot chips



Heat-resistant



Cold-resistant



Mechanical resistance



Robust



Reliability



Temperature-resistant

### Benefits

Protects against hot chips  
High-tensile  
High crush-resistance  
Flexible  
For high mechanical stress

### Application range

Mechanical engineering  
Plant engineering  
Automation technology  
Used in areas where cables and wires could be damaged by welding sparks and hot chips  
Applications with high mechanical stress

Last Update (16.12.2021)

©2021 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## SILVYN® EDU-AS

### Norm references / Approvals

VDE

DIN 49012, complies with design K according to DIN EN IEC 61386-23

In EX-area according to EN 1127-1

### Product Make-up

Helically-wound metal protective conduit with interlocked profile

Galvanised steel wire braiding

### Note

PU = 10m (on request)

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC001179

ETIM 5.0 Class-Description: Protective metallic hose

Classification ETIM 6:

ETIM 6.0 Class-ID: EC001179

ETIM 6.0 Class-Description: Protective metallic hose

Certifications:

IEC EN 61386-23

Material:

Galvanized steel

Braiding: galvanized steel wire

Temperature range:

Up to +220 °C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

Article number	Nominal size	ID x OD mm	Bending radius (mm)	Suitable for SILVYN® MSK-M	Suitable for SILVYN® US-M	Suitable US
SILVYN® EDU-AS						
61802380	10	7 x 10	28	12 x 1,5	10 x 1,0	7
61802390	14	10 x 14	34	16 x 1,5	12 x 1,5	9
61802400	17	13 x 17	40	20 x 1,5	16 x 1,5	11
61802410	19	15 x 19	45	-	-	13,5
61802420	21	17 x 21	50	25 x 1,5	20 x 1,5	16
61802430	27	22 x 27	63	32 x 1,5	25 x 1,5	21
61802440	36	29 x 36	85	40 x 1,5	32 x 1,5	29
61802450	45	38 x 45	100	50 x 1,5	40 x 1,5	36
61802470	56	49 x 56	135	63 x 1,5	50 x 1,5	48

Last Update (16.12.2021)

©2021 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03\_16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Spiral Wraps, Sleeves, Tubing & Conduit](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[601203-000](#) [CTA-0053](#) [8426-11](#) [8429-9](#) [8445-7.5](#) [120-104-24](#) [120-113-16B](#) [120-116-1-1-09BE](#) [120-116-1-1-09BF](#) [120-116-1-1-09BP](#) [120-116-1-1-12BE](#) [120-116-1-1-12BP](#) [120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-06](#) [120-123-10](#) [120-123-14](#) [120-123-16](#) [120-125-12BL](#) [120-125-12R](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-20R](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-09](#) [120-126-09BL](#) [120-126-12](#) [120-126-12BL](#) [120-126-14](#) [120-126-16](#) [120-126-16BL](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-126-52](#) [120-126-52BL](#) [120-104-12](#) [120-104-20](#)