

Industry 4.0

We see where this is going.

In Industry 4.0, development and production processes become more flexible, more efficient, and more customer-specific. Product development, production, logistics, and customers are intermeshed with the help of the latest intelligent information and communication technology. The Lapp Group is ready and is already actively helping to shape the fourth industrial revolution.



As a solution provider for industrial automation technologies, it is very important for Lapp to understand the product environment in which our products are and where they might be applied in the future. For this reason, we pay close attention to Industry 4.0 and are involved in the technology initiative Smart-Factory^{KL} e.V.

The manufacturer-independent initiative clearly points out the benefits of using modern information technology in production environments. Manufacturers like Lapp have the opportunity to develop and test new solutions for future mechanical engineering in the SmartFactory^{KL}. Lapp already offers complete solutions for all connections in smart factories.



ÖLFLEX®

UNITRONIC®

EPIC®

SKINTOP®

ETHERLINE®

HITRONIC®

SILVYN®

FLEXIMARK®

For more information or to connect with your local Lapp Group representative please visit lappgroupna.com

08/16 2.500 999092051

Industrial Ethernet Cordsets

Quick service with an inventory of RJ45 cordsets



Continuous Flex Industrial Ethernet Cordsets


4 Pair CAT.5e extension cordsets with two 8-wire RJ45 connectors



The use of RJ45 connector in Ethernet network protocols is common. Lapp's ETHERLINE® continuous flex CAT.5e cable offers a unique solution for the demanding needs of motion systems, where a network connection has been integrated for program interface from remote locations.

Pin Out

Ethernet RJ45 Shielded



1 2 3 4 5 6 7 8

- 1 = White/Orange (+TX)
- 2 = Orange (-TX)
- 3 = White/Green (+RX)
- 4 = Blue
- 5 = White/Blue (-RX)
- 6 = Green
- 7 = White/Brown
- 8 = Brown

Technical Data

Materials:		Rated Voltage:	42V
- Contact carrier:	Polycarbonate	Rated Current:	1.5A
- Molded head:	Thermoplastic polyurethane; black*	Conductor Stranding:	stranded bare copper
- Contacts:	Gold-plated brass	IP Protection Class:	IP20 Meets NEMA 1, 3, 4, 6P
- Shield:	Copper braid or foil & copper braid	Cable Rated Voltage:	1000V (not for power applications)
- Cable jacket:	Polyurethane; teal		
- Conductor insulation:	Polyethylene		
	* Color is typical, not standard		
Temperature Range:	-20°C to +70°C		

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	C5E001F1
		2m	C5E001F2
		5m	C5E001F5
		10m	C5E001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.

Continuous Flex PROFINET® Cordsets


2 Pair CAT.5 extension cordsets with two 4-wire RJ45 connectors



These molded cordsets utilize high quality ETHERLINE® CAT.5 continuous flex cable and integral molded strain relief. For motion applications, these cordsets are designed to provide interconnection between simple devices (sensors and actuators) and high level devices (PLCs and computers).

Pin Out

Ethernet RJ45 Shielded



1 2 3 4 5 6 7 8

- 1 = Yellow (TD+)
- 2 = Orange (TD-)
- 3 = White (RD+)
- 4 = N/C
- 5 = N/C
- 6 = Blue (RD-)
- 7 = N/C
- 8 = N/C

Technical Data

Materials:		Rated Voltage:	42V
- Contact carrier:	Polycarbonate	Rated Current:	1.5A
- Molded head:	Thermoplastic polyurethane; black*	Conductor Stranding:	stranded bare copper
- Contacts:	Gold-plated brass	IP Protection Class:	IP20
- Shield:	Foil & tinned copper braid	Cable:	ETHERLINE® 2 Pair CAT.5
- Cable jacket:	Polyurethane; green	Cable Rated Voltage:	100V (not for power applications)
- Conductor insulation:	Polyethylene		
	* Color is typical, not standard		
Temperature Range:	-20°C to +60°C		

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	CPN001F1
		2m	CPN001F2
		5m	CPN001F5
		10m	CPN001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.

Ordering made easy.

Know what you want? Simply fill out this order form and return to your Lapp representative. But there are options: email your complete form to sales@lappusa.com or fax to 973-660-9330. Submit your order via www.lappusa.com/order_cordsets.htm if that's still not fast enough.

It doesn't stop there. Our extended line of ÖLFLEX® CONNECT cordsets offers more connector options, cable types, and network protocols for your industrial Ethernet and fieldbus applications.


Visit lappusa.lappgroup.com/oelflex-connect for more options and to find out how Lapp's systems solutions can save you time and money.

Ethernet CAT.5e Cordsets

✓	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	C5E001F1	cont. flex	1m
<input type="checkbox"/>	_____	C5E001F2	cont. flex	2m
<input type="checkbox"/>	_____	C5E001F5	cont. flex	5m
<input type="checkbox"/>	_____	C5E001F10	cont. flex	10m


PROFINET® Cordsets

✓	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	CPN001F1	cont. flex	1m
<input type="checkbox"/>	_____	CPN001F2	cont. flex	2m
<input type="checkbox"/>	_____	CPN001F5	cont. flex	5m
<input type="checkbox"/>	_____	CPN001F10	cont. flex	10m



Continuous Flex Industrial Ethernet Cordsets


4 Pair CAT.5e extension cordsets with two 8-wire RJ45 connectors



The use of RJ45 connector in Ethernet network protocols is common. Lapp's ETHERLINE® continuous flex CAT.5e cable offers a unique solution for the demanding needs of motion systems, where a network connection has been integrated for program interface from remote locations.

Pin Out

Ethernet RJ45 Shielded



1 2 3 4 5 6 7 8

- 1 = White/Orange (+TX)
- 2 = Orange (-TX)
- 3 = White/Green (+RX)
- 4 = Blue
- 5 = White/Blue (-RX)
- 6 = Green
- 7 = White/Brown
- 8 = Brown

Technical Data


Materials:		Rated Voltage:	42V
- Contact carrier:	Polycarbonate	Rated Current:	1.5A
- Molded head:	Thermoplastic polyurethane; black*	Conductor Stranding:	stranded bare copper
- Contacts:	Gold-plated brass	IP Protection Class:	IP20 Meets NEMA 1, 3, 4, 6P
- Shield:	Copper braid or foil & copper braid	Cable Rated Voltage:	1000V (not for power applications)
- Cable jacket:	Polyurethane; teal		
- Conductor insulation:	Polyethylene		
	* Color is typical, not standard		
Temperature Range:	-20°C to +70°C		

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	C5E001F1
		2m	C5E001F2
		5m	C5E001F5
		10m	C5E001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.

Continuous Flex PROFINET® Cordsets


2 Pair CAT.5 extension cordsets with two 4-wire RJ45 connectors



These molded cordsets utilize high quality ETHERLINE® CAT.5 continuous flex cable and integral molded strain relief. For motion applications, these cordsets are designed to provide interconnection between simple devices (sensors and actuators) and high level devices (PLCs and computers).

Pin Out

Ethernet RJ45 Shielded



1 2 3 4 5 6 7 8

- 1 = Yellow (TD+)
- 2 = Orange (TD-)
- 3 = White (RD+)
- 4 = N/C
- 5 = N/C
- 6 = Blue (RD-)
- 7 = N/C
- 8 = N/C

Technical Data

Materials:		Rated Voltage:	42V
- Contact carrier:	Polycarbonate	Rated Current:	1.5A
- Molded head:	Thermoplastic polyurethane; black*	Conductor Stranding:	stranded bare copper
- Contacts:	Gold-plated brass	IP Protection Class:	IP20
- Shield:	Foil & tinned copper braid	Cable:	ETHERLINE® 2 Pair CAT.5
- Cable jacket:	Polyurethane; green	Cable Rated Voltage:	100V (not for power applications)
- Conductor insulation:	Polyethylene		
	* Color is typical, not standard		
Temperature Range:	-20°C to +60°C		

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	CPN001F1
		2m	CPN001F2
		5m	CPN001F5
		10m	CPN001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.

Ordering made easy.

Know what you want? Simply fill out this order form and return to your Lapp representative. But there are options: email your complete form to sales@lappusa.com or fax to 973-660-9330. Submit your order via www.lappusa.com/order_cordsets.htm if that's still not fast enough.

It doesn't stop there. Our extended line of ÖLFLEX® CONNECT cordsets offers more connector options, cable types, and network protocols for your industrial Ethernet and fieldbus applications.


Visit lappusa.lappgroup.com/oelflex-connect for more options and to find out how Lapp's systems solutions can save you time and money.

Ethernet CAT.5e Cordsets

✓	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	C5E001F1	cont. flex	1m
<input type="checkbox"/>	_____	C5E001F2	cont. flex	2m
<input type="checkbox"/>	_____	C5E001F5	cont. flex	5m
<input type="checkbox"/>	_____	C5E001F10	cont. flex	10m

PROFINET® Cordsets

✓	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	CPN001F1	cont. flex	1m
<input type="checkbox"/>	_____	CPN001F2	cont. flex	2m
<input type="checkbox"/>	_____	CPN001F5	cont. flex	5m
<input type="checkbox"/>	_____	CPN001F10	cont. flex	10m



Ordering made easy.

Know what you want? Simply fill out this order form and return to your Lapp representative. But there are options: email your complete form to sales@lappusa.com or fax to 973-660-9330. Submit your order via www.lappusa.com/order_cordsets.htm if that's still not fast enough.

It doesn't stop there. Our extended line of ÖLFLEX® CONNECT cordsets offers more connector options, cable types, and network protocols for your industrial Ethernet and fieldbus applications.


Visit lappusa.lappgroup.com/oelflex-connect for more options and to find out how Lapp's systems solutions can save you time and money.

Ethernet CAT.5e Cordsets

<input checked="" type="checkbox"/>	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	C5E001F1	cont. flex	1m
<input type="checkbox"/>	_____	C5E001F2	cont. flex	2m
<input type="checkbox"/>	_____	C5E001F5	cont. flex	5m
<input type="checkbox"/>	_____	C5E001F10	cont. flex	10m

PROFINET® Cordsets

<input checked="" type="checkbox"/>	Qty.	Part Number	Type	Length
<input type="checkbox"/>	_____	CPN001F1	cont. flex	1m
<input type="checkbox"/>	_____	CPN001F2	cont. flex	2m
<input type="checkbox"/>	_____	CPN001F5	cont. flex	5m
<input type="checkbox"/>	_____	CPN001F10	cont. flex	10m





Continuous Flex PROFINET® Cordsets

2 Pair CAT.5 extension cordsets with two 4-wire RJ45 connectors

These molded cordsets utilize high quality ETHERLINE® CAT.5 continuous flex cable and integral molded strain relief. For motion applications, these cordsets are designed to provide interconnection between simple devices (sensors and actuators) and high level devices (PLCs and computers).

Pin Out

Ethernet RJ45 Shielded



Technical Data

Materials:	- Contact carrier: Polycarbonate - Molded head: Thermoplastic polyurethane; black* - Contacts: Gold-plated brass - Shield: Foil & tinned copper braid - Cable jacket: Polyurethane; green - Conductor insulation: Polyethylene	Rated Voltage: 42V	Rated Current: 1.5A	Conductor Stranding: stranded bare copper	IP Protection Class: IP20 Meets NEMA 1, 3, 4, 6P	Cable: ETHERLINE® 2 Pair CAT.5
Temperature Range:	-20°C to +60°C	Cable Rated Voltage:	100V (not for power applications)			

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	CPN001F1
		2m	CPN001F2
		5m	CPN001F5
		10m	CPN001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.


Continuous Flex Industrial Ethernet Cordsets

4 Pair CAT.5e extension cordsets with two 8-wire RJ45 connectors

The use of RJ45 connector in Ethernet network protocols is common. Lapp's ETHERLINE® continuous flex CAT.5e cable offers a unique solution for the demanding needs of motion systems, where a network connection has been integrated for program interface from remote locations.

Pin Out

Ethernet RJ45 Shielded



Technical Data

Materials:	- Contact carrier: Polycarbonate - Molded head: Thermoplastic polyurethane; black* - Contacts: Gold-plated brass - Shield: Copper braid or foil & copper braid - Cable jacket: Polyurethane; teal - Conductor insulation: Polyethylene	Rated Voltage: 42V	Rated Current: 1.5A	Conductor Stranding: stranded bare copper	IP Protection Class: IP20 Meets NEMA 1, 3, 4, 6P
Temperature Range:	-20°C to +70°C	Cable Rated Voltage:	1000V (not for power applications)		

Connector 1	Connector 2	Cable Length	Part Number
RJ45 Shielded	RJ45 Shielded	1m	C5E001F1
		2m	C5E001F2
		5m	C5E001F5
		10m	C5E001F10

RJ45 cordsets are in stock. Cordsets with M12 connector options, other motion types, and custom cable lengths are also available.

Industry 4.0

We see where this is going.

In Industry 4.0, development and production processes become more flexible, more efficient, and more customer-specific. Product development, production, logistics, and customers are intermeshed with the help of the latest intelligent information and communication technology. The Lapp Group is ready and is already actively helping to shape the fourth industrial revolution.



As a solution provider for industrial automation technologies, it is very important for Lapp to understand the product environment in which our products are and where they might be applied in the future. For this reason, we pay close attention to Industry 4.0 and are involved in the technology initiative Smart-Factory^{KL} e.V.

The manufacturer-independent initiative clearly points out the benefits of using modern information technology in production environments. Manufacturers like Lapp have the opportunity to develop and test new solutions for future mechanical engineering in the SmartFactory^{KL}. Lapp already offers complete solutions for all connections in smart factories.



ÖLFLEX®

UNITRONIC®

EPIC®

SKINTOP®

ETHERLINE®

HITRONIC®

SILVYN®

FLEXIMARK®

For more information or to connect with your local Lapp Group representative please visit lappgroupna.com

Industrial Ethernet Cordsets

Quick service with an inventory of RJ45 cordsets



08/16. 2.500. 999092051

Industry 4.0

We see where this is going.

In Industry 4.0, development and production processes become more flexible, more efficient, and more customer-specific. Product development, production, logistics, and customers are intermeshed with the help of the latest intelligent information and communication technology. The Lapp Group is ready and is already actively helping to shape the fourth industrial revolution.



As a solution provider for industrial automation technologies, it is very important for Lapp to understand the product environment in which our products are and where they might be applied in the future. For this reason, we pay close attention to Industry 4.0 and are involved in the technology initiative Smart-Factory^{KL} e.V.

The manufacturer-independent initiative clearly points out the benefits of using modern information technology in production environments. Manufacturers like Lapp have the opportunity to develop and test new solutions for future mechanical engineering in the SmartFactory^{KL}. Lapp already offers complete solutions for all connections in smart factories.



ÖLFLEX®

UNITRONIC®

EPIC®

SKINTOP®

ETHERLINE®

HITRONIC®

SILVYN®

FLEXIMARK®

For more information or to connect with your local Lapp Group representative please visit lappgroupna.com

Industrial Ethernet Cordsets

Quick service with an inventory of RJ45 cordsets



08/16 2.500 999092051

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#)
[MWDM2L-51GS-6J1-2.82B](#) [190-038045-01](#) [NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [ICD056GVP163D-C0](#)
[C5UMB3FBG](#) [2142758-2](#) [2168427-2](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#) [UTPCH14GY](#) [45-5684](#) [09459711142](#) [100345-](#)
[1301](#) [MWDM2L-25P-8K1-.500B](#) [MWDM6L-31S-6C4-.375H](#) [73-7793-1](#) [74764-1101](#) [WHU18-3636-048](#) [RJF2SA2G05100BTX](#)
[1R4000A39M030](#) [190-038045-00-SP328](#) [UTPSP6GY](#) [UTPSP2GY](#) [UTPSP10GY](#) [UTPCH5GY](#) [UTP28SP15M](#) [UTP28CH100OR](#)
[74764-2301](#) [E11A06004M300](#) [E66A06002M020](#) [SAC-5P-MS/ 1.0-920/FS SCO AR](#) [1-3636-601-5211](#) [1-3636-600-5212](#) [1-3636-461-5208](#) [1-](#)
[3637-600-5212](#)