



ETHERLINE® GUARD

Monitoring device for predictive maintenance

Our Cables usually last for many years, but in highly dynamic, demanding movements with high speeds and strong torsion, it is advantageous and cost-saving if the connection systems are monitored to avoid unforeseen downtimes and thus a negative impact on productivity. LAPP's innovative solution is **ETHERLINE® GUARD**. This is a stationary monitoring device that evaluates the current performance of a data cable and indicates it as a percentage.



Your benefits


- Increase availability due to plannable downtimes. Thus, reduced maintenance costs.
- Simple set-up with automated parameterization
- Integration into the existing network structure
- Reliable communication with MQTT protocol



Learn more:
www.lappkabel.com/etherlineguard



U.I. Lapp GmbH
 Schulze-Delitzsch-Straße 25 · 70565 Stuttgart
 Tel.: 0711 7838-01 · Fax: 0711 7838-2640
www.lappkabel.de · info@lappkabel.de



ETHERLINE® GUARD

CE UL in preparation



Technical product features

- Suitable for data cable according to transmission standard 100BASE-TX (with 100 Mbit/s) according to IEEE 802.3
- Ethernet Copper (twisted) cables with RJ45 connection
- Protection class IP 20
- Space-saving thanks to uniquely compact design

Part number	Product description	Port count	PU
21700150	ETHERLINE® GUARD PM03T	3 x RJ 45	1
21700151	ETHERLINE® GUARD PM02TWA	2 x RJ 45 + WIFI	1

LAPP recommends ETHERLINE® GUARD especially for data cable according to the transmission standard 100BASE-TX (with 100 Mbit/s) according to IEEE 802.3. The following products are suitable for optimal use:

	Product	Technical characteristics	
	ETHERLINE® Cat.5e FD	Cat.5e for highly flexible use in drag chain applications, 2 or 4 pairs, PUR, UL approval	
	ETHERLINE® EC FD Cat.5e	Cat.5e for highly flexible use in drag chain applications, PUR, EtherCAT	
	ETHERLINE® TORSION Cat. 5	Cat.5 for torsion applications, 2 pairs, PUR, PROFINET, UL approval	
	ETHERLINE® PN Cat.5 FD	Cat.5 for highly flexible use in drag chain applications, PROFINET, Type C, UL approval	
	ETHERLINE® FESTOON PN Cat.5e	Cat.5e for highly flexible use in festoon applications, PROFINET, Type C, UL approval	
	ETHERLINE® ROBOT PN	Cat.5e for highly flexible use in robot applications, PROFINET, Type R, UL approval	
	EPIC® DATA RJ45	Cat.6a, IP 20, suitable for up to 10 Gbit/s, field mountable	
	ETHERLINE® EC FD Cat.5e	Cat.5, suitable for drag chains, PUR, 2 pairs, assembled on one or both sides	
	ETHERLINE® EC FD Cat.5	Cat.5, suitable for drag chains, PROFINET, Type C, D-code, PUR, UL approval; 2 pairs, assembled on one or both sides	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Modules](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[TDKEZW3](#) [V23993-USB1029A](#) [100-POE4](#) [X520QDA1](#) [BCM84794A1KFSBG](#) [X520DA2OCP](#) [808-38157](#) [7506GX2](#) [TC EXTENDER 2001](#)
[ETH-2S](#) [105FX-SC-MDR](#) [110FX2-SC](#) [7000-P3201-P050150](#) [750-451](#) [750-494](#) [750-495](#) [750-501](#) [750-612](#) [750-627](#) [750-643](#) [750-652](#) [750-](#)
[653/003-000](#) [753-440](#) [753-540](#) [852-1812](#) [852-1813](#) [852-1816](#) [LANTICK PE-0-16](#) [LANTICK PE-16-0](#) [RBMTXLITE-L4X2.X.X.X.X.](#) [EKI-](#)
[7708E-4F-AE](#) [EKI-7708E-4FP-AE](#) [EKI-7708G-4FP-AE](#) [2352903-2](#) [EKI-2706G-1GFPI-BE](#) [SW-125](#) [7000-74712-4780030](#) [7000-74712-](#)
[4780060](#) [7000-74712-4780100](#) [7000-74712-4780150](#) [750-331](#) [753-649](#) [852-1200](#) [852-1210](#) [852-1280](#) [PM02TWA](#) [ICR-1601G](#) [BOXER-](#)
[6641-A1-1110](#) [EKI-7712G-4F-AE](#) [55150](#) [56005](#)