An ultra-low profile LCD meter using advanced components and construction techniques to provide an unrivalled combination of high performance, elegant appearance and low cost. The meter is pin for pin compatible with many existing DPMs but offers several advantages including long life LED backlighting which provides a clear display in poor light conditions. The very low current consumption results in a long battery life and makes it especially suitable for portable equipment.

- 12.7mm (0.5") Digit Height
- **Logic Selectable Decimal Points**
- **Auto-zero**
- **Auto-polarity**
- 200mV d.c. Full Scale Reading (F.S.R.)
- **User Adjustable Low Battery Indication**
- Single Rail Version (DPM 700S)

SCALING


Two resistors Ra and Rb may be fitted in order to alter the full scale reading (F.S.R.) of the meter - see table. The meter will need re-calibration by adjusting R14.

Required F.S.R.		Ra	Rb	
2V	Note	910k	100k	
20V	Note	1M	10k	
200V	Note	1M	1k	
2kV	Note	1M	100R	
200μΑ		0R	1k	
2mA		0R	100R	
20mA		0R	10R	
200mA		0R	1R	

NOTE

SAFETY

Ensure that Link La across Ra is open.




Standard Meter Single Rail Version				Si	tock Number DPM 700 DPM 700S
Specification	Min.	Тур.	Max.	Unit	
Accuracy (overall error)**			0.05	0.1	% (±1 count)
Linearity				±1	count
Sample rate			3		samples/sec
Operating temperature range		0		50	°C
Temperature stability			30		ppm/°C
Supply voltage	DPM 700	5	9	14	V
(V+ to V-)	DPM 700S	3.5	5	7	· v
Supply current	DPM 700		150		
	DPM 700S		500		μΑ
Backlight current (IL)*	VL=5V		50	75	mA
	VL=9V		20	35	111/4
Input leakage current (Vin= 0V)			1	10	рА

- Note: Factory configured for 5V d.c. operation. 9V d.c. operation available on request.
- ** To ensure maximum accuracy, re-calibrate periodically.

CONNECTOR SOURCING GUIDE

Solder wires or standard 0.1" square pin header to PCB

To comply with the Low Voltage Directive (LVD 93/68/EEC), input voltages to the module's pins must not exceed 60Vdc. If voltages to the measuring inputs do exceed 60Vdc, then fit scaling resistors externally to the module. The user must ensure that the incorporation of the DPM into the user's equipment conforms to the relevant sections of BS EN 61010 (Safety Requirements for Electrical Equipment for Measuring, Control and Laboratory Use).



Fit the bezel to the front of the panel, then locate the meter to the bezel from behind the panel. Using the screws provided, secure the two plastic spring clips to the rear of the meter. The meter is designed to fit directly onto OKW Type M, P and Veronex size 3 enclosures.



LASCAR ELECTRONICS LTD. MODULE HOUSE, WHITEPARISH, WILTSHIRE SP5 2SJ UK TEL: +44 (0)1794 884567 FAX: +44 (0)1794 884616

ERIE, PA 16505 USA TEL: +1 (814) 835 0621 FAX: +1 (814) 838 8141 E-MAIL: sales@lascar.co.uk E-mail: us-sales@lascarelectronics.com

LASCAR ELECTRONICS (HK) LTD. 8th FLOOR, CHINA AEROSPACE CENTRE, 143 HOI BUN ROAD, KWUN TONG, KOWLOON, HONG KONG TEL: +852 2389 6502 FAX: +852 2389 6535 E-mail: saleshk@lascar.com.hk

PIN FUNCTIONS

Ω	NT	
υ.	IN.	L

- 1. VDD Positive power supply connection.
- TEST Connecting this pin to VDD turns on the segments as illustrated. DO NOT operate for more than a few seconds as the DC voltage applied to the LCD may 'burn' the display. This pin is held nominally at 5V below VDD and is the ground for the digital section of the meter. It can be used to power external logic up to a maximum of 1mA.

LASCAR ELECTRONICS INC.

4258 WEST 12th STREET,

- IN HI 3.
- Positive measuring differential input. Analogue inputs must be no closer than 1V to either the positive or negative supply. The Negative measuring differential input. negative supply of the DPM 700S is generated internally and mirrors the positive supply voltage. 4. INLO
- 5. VSS Negative power supply connection.
- RFL. Negative input for reference voltage (can be connected to COM via Link 3). 6.
- 7. **RFH** Positive input for reference voltage.
- The ground for the analogue section of the A/D converter, held actively at 2.8V (nom) below VDD. COM must not be allowed to COM 8. sink excessive current (>100μA) by connecting it directly to a higher voltage.
- 9 ROL. Negative output from internal reference.
- 10. ROH Positive output from internal reference.
- DP 199 9 11. DP3
- DP 19.99 12. DP2 Connect to VDD to display required decimal point.
- DP 1.999 13. DP1
- -5V Output from negative rail generator circuit (DPM 700S only) which mirrors the voltage applied to VDD. DPM 700 - N.C. 14.
- 15. REFBG Output from bandgap reference (1.22V nom).
- Positive backlight voltage connection. Negative backlight voltage connection.

 Positive backlight voltage connection.


 Positive backlight voltage connection.

 Positive backlight voltage connection.

 Positive backlight voltage connection. 16. +L
- 17. -L
- 28 (BP), 29 (E1), 30 (B1), 31 (G1), 32 (AB): Outputs for autoranging applications.

SPECIAL NOTE - ANNUNCIATORS


The DPM 700 annunciators (A, °F, °C, etc.) can be displayed by applying a solder link to the drive pad (XDP) located alongside the annunciator input pads. These input pads are tied via links to the backplane (BP) to suppress the annunciators when not required. Care should be taken to ensure that links to BP are cut before connecting annunciator inputs to the drive pad (XDP).



VARIOUS OPERATING MODES


ON-BOARD LINKS: In order to quickly and easily change operating modes for different applications, the meter has several on-board links. They are designed to be easily opened (cut) or shorted (soldered). Do not connect more than one meter to the same power supply if the meters cannot use the same signal ground. Taking any input beyond the power supply rails will damage the meter.






SHORT Links 1, 2, 3 & 5,

Measuring a floating voltage source of 200mV full scale.




SHORT Links 1, 2, 3 & 5.

Measuring current (supply MUST be isolated).



SHORT Links 1, 2, 3 & 5.


Split supply operation (DPM 700).



SHORT Link 5.


Measuring the ratio of two voltages. Reading = $1000 \text{ V}_1/\text{V}_2$ $50 \text{mV} < V_2 < 50 \text{mV}$ $V_1 < 2V_2$

Issue 7



SHORT Links 1, 2, 3 & 5.

Measuring a single ended input referenced to supply (DPM 700S).



SHORT Link 1, 2 & 3.

Measuring 4-20mA to read 0-999 (supply MUST be isolated).

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Lascar manufacturer:

Other Similar products are found below:

EL-GFX-1 EL-USB-1-PRO EL-USB-RT EL-WIFI-ALERT EL-DATAPAD DPM950 EL-WIFI-T+ SGD 70-A EL-WIFI-21CFR-TC EL-SMS-2G-TP+ EL-MOTE-T+ EL-MOTE-TH EL-MOTE-DTP EL-MOTE-PROBE-2M-TH WIRELESS ALERT-DC WIRELESS ALERT-T EL-USB-5 EL-GFX-2 EL-USB-2-PLUS EL-USB-CO PSU206 EL-WIFI-21CFR-TP EL-WIFI-21CFR-TP+ EL-SIE-1+ EL-SIE-2 EL-SIE-2+ EL-SIE-6+ WIRELESS ALERT TP EL-P-TC-T-SURFACE WIRELESS ALERT-TH EL-SGD43-ATP EL-USB-4 EL-WIFI-TP DPM 400 SGD 43-A EL-WIFI-21CFR-DTP+ EL-WIFI-21CFR-T EL-CC-2-002 PK10 EL-CC-2-003 PK10 EL-CC-2-004 PK10 EL-WIFI-21CFR-DTP+PROBE-G EL-MOTE-T EL-MOTE-TP DPM125 EMV1200 EL-GFX-DTC EL-OEM-3 EL-WIFI-DTC EL-GFX-DTP DPM970