

LCU835060Ap/62Ap

LCU83xx SERIES LASER DIODE

■ Features

1. Small perpendicular divergence angle
2. Lateral single mode lasing
3. Standard optical power output : 50mW (CW)
4. Type :


TYPE	DESCRIPTION
U-LD- 835060Ap	TO-56 (ϕ 5.6mm) Packaged, with Pb-free window cap.
U-LD- 835062Ap	TO-56 (ϕ 5.6mm) Packaged, without Pb-free window cap.

5. Built-in Photo Diode for monitoring laser diode.

■ Applications

1. Motion sensor
2. 3D depth sensor
3. Illumination
4. Industry
5. Medical application

■ External dimensions(Unit : mm)



Ver.B

LCU835060Ap/62Ap

LCU83xx SERIES LASER DIODE

Absolute Maximum Ratings(Tc=25°C)

Parameter	Symbol	Rating	Unit
Optical Output	Po	50	mW
Reverse Voltage	Vr	2	V
Operating Temperature (Case)	Top	-10~+60	°C
Storage Temperature	Tstg	-40~+85	°C

Electrical and Optical Characteristics(Tc=25°C)

Parameter	Symbol	Condition	Min.	Typ.	Max.	Unit
Threshold Current	Ith	Po=50mW	-	13	18	mA
Operating Current	Iop	Po=50mW	-	62	75	mA
Operating Voltage	Vop	Po=50mW	-	2.1	2.6	V
Slope Efficiency	η	Po=12.5-37.5mW	-	1.0	-	mW/mA
Monitor Current	Im	Po=50mW	0.05	0.12	0.5	mA
Beam Divergence (FWHM)	Parallel	$\theta_{//}$	-	11	16	deg.
	Perpendicular	θ_{\perp}	-	20	25	deg.
Lasing Wavelength	λ	Po=50mW	820	830	840	nm


© $\theta_{//}$ and θ_{\perp} are defined as the angle within which the intensity is 50% of the peak value.

Quality Notice

This device is still under product development.

Typical characteristic curves

Optical Output Power v.s. Forward Current




Ver.B


LCU835060Ap/62Ap

LCU83xx SERIES LASER DIODE


Forward Voltage v.s. Forward Current



Peak Wavelength v.s. Case Temperature



Far-Field Pattern




Ver.B


LCU835060Ap/62Ap

LCU83xx SERIES LASER DIODE


Monitor Current v.s. Optical Output Power



Slope Efficiency v.s. Case Temperature



Threshold Current v.s. Case Temperature



Ver.B

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Laser Diodes](#) category:

Click to view products by [Laser Components](#) manufacturer:

Other Similar products are found below :

[PLT5 520EA P](#) [PLT3 520D](#) [ADL-65055TL](#) [ADL-66801TL](#) [ADL-83Z01TL](#) [ADL-85301TL](#) [ADL-85501TL](#) [LCU80B051A](#) [RLD78NZM5-00A](#) [ADL-65075SR](#) [ADL-65075TU-1](#) [905D1S3JT09UA](#) [LCU653056AP](#) [LCU66A051AP](#) [LCU80E052AP](#) [LCU80E053A](#) [LCU831061AP](#) [LCU85C061AP](#) [LCU881061AP](#) [LCU98B043AP](#) [LCU98C041AP](#) [PLT5 450B](#) [ADL-63054TL](#) [ADL-63102TL-3](#) [ADL-63153TL](#) [ADL-65103TL](#) [ADL-66201TL](#) [PLT5 510](#) [LCU66A051A](#) [SPL LL90_3](#) [ADL-65075TL](#) [905D1S09UA](#) [905D1S3JT03UA](#) [ADL-63054SL](#) [ADL-63301TL](#) [ADL-63T01NY](#) [ADL-63V0ANP](#) [ADL-65074TA4](#) [ADL-65074TL-1](#) [ADL-65075SL](#) [ADL-65075TA4](#) [ADL-65104TA4](#) [ADL-65104TL](#) [ADL-66201TA4](#) [ADL-66505TL](#) [ADL-78051TL](#) [ADL-83Z51TL](#) [ADL-85051TL](#) [LCU632051A](#) [LCU670561A](#)