

## HyperLink Wireless 2.4 GHz 3 dBi Rubber Duck Antenna Model: HG2403RD

### Applications

- 2.4 GHz ISM band
- IEEE 802.11b/g wireless LAN
- WiFi networks
- 2.4 GHz wireless video systems
- Multipoint and mobile applications

### Features

- Compact size, only 5.4 in. long
- Flexible "Rubber Duck" antenna
- Tilt and swivel design
- Multiple connector options
- Optional magnetic mounts available



(HG2403RD-SM Model Shown)

### Description

This compact 2.4 GHz omni-directional "rubber duck" antenna provides broad coverage and 3 dBi gain. It is a coaxial sleeve design with an Omni-directional pattern. It is ideally suited for IEEE 802.11b/g wireless LAN and other WiFi applications.

Only 5.4 inches long, this flexible antenna features a tilt-and-swivel connector, allowing it to be used vertically, at a right angle or any angle in between. Available with either a N-Male, SMA-Male, RP-SMA Plug or RP-SMA Plug connector, it is suitable as a replacement antenna for many access points and radios that are equipped with detachable antennas such as from D-Link®, Linksys® and others (Note: The HG2403RD is used as a "replacement" antenna rather than a "range extender" antenna. It should yield similar range to most radio's stock antennas).



N-Male Connector

### Specifications

#### Models

Model Number	Connector Type
HG2403RD-NM	N-Male
HG2403RD-SM	SMA-Male
HG2403RD-RTF	Reverse Polarity TNC Plug (RP-TNC Plug)
HG2403RD-RSF*	Reverse Polarity SMA Plug (RP-SMA Plug)
*Application note: The RP-SMA model is not for use with U.S Robotics® RP-SMA equipped devices.	


### Electrical Specifications

Frequency	2400-2500 MHz
Gain	3 dBi
Impedance	50 Ohm
VSWR	< 2.0
Polarization	Vertical

### Mechanical Specifications

Weight	0.81 oz. (23g)
Length	5.4 in. (137mm)
Diameter	0.5 in. (13mm)
Finish	Matte Black
Operating Temperature	-40°C to 85°C (-40°F to 185°F)
Flame Rating	UL 94HB
RoHS Compliant	Yes

### RF Antenna Patterns



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [l-com](#) manufacturer:*

Other Similar products are found below :

[FOA-550A](#) [UMC-201](#) [CSMN50MF-5](#) [CSMNB15MF-15](#) [TRD815RA2BL-5](#) [CA3N050](#) [CA3A-90DA-1M](#) [CTLF3VGAMM-20](#) [HDCAMM-3](#)  
[U3A00014-03M](#) [ECF-SK-25](#) [CSMT15MF-10](#) [CSMT15MM-15](#) [CSMT15MM-25](#) [CSPL15MF-50](#) [CSPL25MF-25](#) [CSPL9MF-10](#) [CSPL9MF-](#)  
[5](#) [CSPL25MF-5](#) [CSPL25MF-2.5](#) [AL-IPEPS](#) [NB201611-10F-1](#) [TDG1026KC5-MNL](#) [NB121005-10F](#) [TRD855SRA6DBL-10M](#)  
[TRD855SRA7DBL-1M](#) [TRD855SRA7DBL-10M](#) [PR175SCDLCQ24](#) [TRG508-T4T-3M](#) [TRA5261-15F](#) [TRA5261S-1F](#) [TRA6261-1F](#)  
[USBBFT](#) [DGB25M](#) [CASATAL-18](#) [CSM25MM-10](#) [CSM37MF-10](#) [CSUSB-100](#) [CA3A-90RA-1M](#) [CA3A-90RMICB-1M](#) [U2A00003-3M](#)  
[U3A00003-05M](#) [U2A00008-12I](#) [U3A00007-075M](#) [U3A00007-1M](#) [CSMT15MF-5](#) [CSMT15MM-50](#) [CSPL15MF-25](#) [LPXT-WP-PMT](#)  
[CSMT15MF-50](#)