

# PRODUCT DATASHEET CA14843\_STRADA-B2

## STRADA-B2

Wide oval beam for area lighting optimized for CREE XP-L. Assembly with installation tape.

### **TECHNICAL SPECIFICATIONS:**

Dimensions	19.6 x 15.5 mm
Height	5.2 mm
Fastening	tape, pin
ROHS compliant	yes 🛈



### **MATERIAL SPECIFICATIONS:**


Component	Туре	Material	Colour	Finish
STRADA-B2	Single lens	PMMA	clear	
VOSU-WU-M-365-TAPE	Таре			

### **ORDERING INFORMATION:**

Component		Qty in box	MOQ	MPQ	Box weight (kg)
CA14843_STRADA-B2	Single lens	4320	240	240	5.1
» Box size: 451 x 254 x 197 mm					



## PRODUCT DATASHEET CA14843\_STRADA-B2



See also our general installation guide: www.ledil.com/installation\_guide



## PHOTOMETRIC DATA (MEASURED):

	XP-L HD	90*
FWHM / FWTM	113.0 + 50.0° / 147.0 + 154.0°	739
Efficiency	89 %	- 200
Peak intensity	0.6 cd/lm	
LEDs/each optic	1	
Light colour	White	er er
Required compone	nts:	50° 50° 50° 50° 50°
		90°
LED	XP-L2	
FWHM / FWTM	110.0 + 57.0° / 153.0 + 166.0°	75
Efficiency	88 %	20
Peak intensity	0.5 cd/lm	50° 60°
LEDs/each optic	1	
Light colour	White	45*
Required compone	nts:	



## PHOTOMETRIC DATA (SIMULATED):

SAMSU	NG	90°
LED	LH351B	
FWHM / FWTM	102.0 + 40.0° / 126.0 + 77.0°	770 772
Efficiency	91 %	
Peak intensity	0.8 cd/lm	.0 <sup>4</sup>
LEDs/each optic	1	
Light colour	White	er (60)
Required components	5:	
		3000
		the of the
SEOUL		97 97
LED	Z5M1/Z5M2	
FWHM / FWTM	98.0 + 38.0° / 116.0 + 78.0°	78 70
Efficiency	91 %	
-		. 60 <sup>4</sup> 60 <sup>4</sup>
Peak intensity	1.2 cd/lm	
Peak intensity LEDs/each optic	1.2 cd/lm 1	
LEDs/each optic		07
	1 White	67
LEDs/each optic Light colour	1 White	5°
LEDs/each optic Light colour	1 White	6° 00 00 00 00 00 00 00 00 00 00 00 00 00
LEDs/each optic Light colour	1 White	000 00 1200 1200



## PRODUCT DATASHEET CA14843\_STRADA-B2

#### **GENERAL INFORMATION:**

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

#### MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

#### PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

#### LEDiL Oy

Joensuunkatu 13 FI-24240 SALO Finland

#### LEDiL Inc. 228 West Page Street Suite D Sycamore IL 60178 USA

Ledil Optics Technology (Shenzhen) Co., Ltd. # 405 , Block B Casic Motor Building Shenzhen 518057 P.R.CHINA

#### Local sales and technical support www.ledil.com/ where\_to\_buy

Shipping locations Salo, Finland Hong Kong, China

#### Distribution Partners www.ledil.com/ where\_to\_buy

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Lighting Lenses Assemblies category:

Click to view products by Ledil manufacturer:

Other Similar products are found below :

FCN12592\_LE1-D-COP\_CA16129\_OLGA-W\_CA16370\_HB-SQ-W\_FN15972\_RONDA-ZT45-C\_CS15759\_HB-2X2MX-8-W CA16435\_LXP2-SS-WAS\_CN16210\_GABRIELLA-MIDI-W\_CP17137\_CARMEN-M2-C\_CA16015\_STRADA-SQ-SCL\_CP17594\_TINA-SC-RS\_CS15767\_HB-2X2MX-8-M\_CP10960\_RGBX-SS\_CP12395\_LXP3-W\_CP12399\_LARISA-RS-CLIP16\_C14636\_XTM-PF-ADAPTER CA11819\_STRADA-SQ-T-DW\_CA14506\_G2-LXP2-RS2\_CA14508\_G2-LXP2-D\_CA14601\_VERONICA-SQ-MINI-RS FCP13895\_SEANNA-A\_FP11124\_LISA2-O-PIN\_CS14597\_HB-IP-2X6-O\_CP14995\_FLORENTINA-HLD-O\_CS15158\_STRADA-IP-2X6-T4-B\_CS16323\_STRADELLA-IP-28-HB-M\_FN14976\_STELLA-DWC2\_FN15264\_STELLA-HB-WWW\_CA15584\_ZORYA-MINI-TAPE FA15229\_ROSE-MRK-S\_FA15232\_ROSE-MRK-M\_FA15233\_ROSE-MRK-W\_FCN13552\_CRYSTAL-RS\_FN15552\_RONDA-W FS15626\_FLORENCE-3R-IP-Z90\_FS15786\_FLORENCE-3R-IP-Z60\_FS15847\_FLORENCE-3R-IP-O\_CA14505\_G2-LXP2-RS2-P FCN12775\_IRIS-O\_FCA15007\_G2-ROSE-UV-SS\_CP15304\_LARISA-RS-PIN\_FN15679\_RONDA-S\_CA15519\_VERONICA-SQ-MINI-D FP14414\_LISA2-O-PIN\_LL01CR-DF60L06-M2\_FN15993\_RONDA-O\_FN15977\_RONDA-WAS2\_CA14366\_FLARE-MAXI-TAPE CA14442\_VERONICA-SQ-W\_CA14509\_G2-LXP2-M-P\_CA15231\_VERONICA-SQ-MINI-W