





Features

- Ultralowleakage:nAlevel
- Lowoperatingvoltage:5V
- Lowclampingvoltage
- 2-pinleadlesspackage
- Complieswithfollowingstandards:
 - IEC61000-4-2(ESD)immunitytestAirdischarge:±30kV
 - Contactdischarge:±30kV
- -IEC61000-4-5(Lightning)10A(8/20µs)RoHSCompliant

DimensionsDFN1006



PinConfiguration



Applications

- CellularHandsetsandAccessories
- PersonalDigitalAssistants
- NotebooksandHandhelds
- PortableInstrumentation
- DigitalCameras
- Peripherals
- AudioPlayers
- Keypads,SideKeys,LCDDisplays

MechanicalCharacteristics

- Package:DFN1006
- LeadFinish:LeadFree
- ULFlammabilityClassificationRating94V-
- 0QuantityPerReel:10,000pcs
- ReelSize:7inch

AbsoluteMaximumRatings(Tamb=25°Cunlessotherwise specified)



Parameter	Symbol	Value	Unit
PeakPulsePower(8/20 μ s)	P _{pp}	120	W
ESDperIEC61000-4-2(Air)	V _{ESD}	± 30	Kv
ESDperIEC61000-4-2(Contact)		± 30	
OperatingTemperatureRange	T _J	-55to+125	$^{\circ}$ C
StorageTemperatureRange	T _{STJ}	-55to+150	$^{\circ}$ C


[ESDA05CPH1](#)

ElectricalCharacteristics(T_A=25 $^{\circ}$ Cunlessotherwise specified)





Leiditech						V _C @1A (kW)	V _C		I _R μA (Max)	C (Pf) (Typ.)
PartNumber	E M						(Max)	(@A)		
ESDA05CPH1						15	10	0.1	12	

Typical Performance Characteristics




$T_A = 25^\circ C$

CPH1




Waveform Parameters:
tr=8us
td=20us



Pulse Waveform

Non-Repetitive Peak Pulse Power vs. Pulse Time



Power Derating Curve

Rev: 3/4


www.leiditech.com





ESDA05CPH1

DIM	Millimeters	
	Min	Max
A	0.40	0.50
A1	0.00	0.05
D	0.55	0.65
E	0.95	1.05
b	0.45	0.55
e	0.65TYP	
L	0.2	0.32
L1	0.05REF	

DFN1006PackageOutlineDrawing



0.85mm



ShanghaiLeiditechElectronicCo.,Ltd
 Email:sale1@leiditech.com
 Tel:+86-02150828806
 Fax:+86-02150477059

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [ESD Suppressors / TVS Diodes](#) category:

Click to view products by [Leiditech](#) manufacturer:

Other Similar products are found below :

[60KS200C](#) [D18V0L1B2LP-7B](#) [D5V0F4U5P5-7](#) [NTE4902](#) [P4KE27CA](#) [P6KE11CA](#) [P6KE8.2A](#) [SA60CA](#) [SA64CA](#) [SMBJ12CATR](#)
[SMBJ33CATR](#) [SMBJ6.5A](#) [SMBJ8.0A](#) [ESD101-B1-02ELS](#) [E6327](#) [ESD112-B1-02EL](#) [E6327](#) [ESD7451N2T5G](#) [19180-510](#) [CPDT-5V0USP-](#)
[HF](#) [3.0SMCJ33CA-F](#) [3.0SMCJ36A-F](#) [HSPC16701B02TP](#) [JANTX1N6126A](#) [D3V3Q1B2DLP3-7](#) [D55V0M1B2WS-7](#) [SCM1293A-04SO](#)
[ESD200-B1-CSP0201](#) [E6327](#) [SM12-7](#) [CEN955](#) [W/DATA](#) [VESD12A1A-HD1-GS08](#) [CPDQC5V0-HF](#) [D1213A-01LP4-7B](#) [ESD101-B1-02EL](#)
[E6327](#) [AOZ8808DI-03](#) [5KP15A](#) [5KP48A](#) [5KP90A](#) [ESD3V3D7-TP](#) [15KPA36A-LF](#) [P4KE56CA](#) [P4KE68A](#) [P4KE91CATR](#) [P6KE120A](#)
[P6KE13CA](#) [P6KE43CA](#) [P6KE6.8CA](#) [P6KE8.2](#) [P6SMBJ20CA](#) [JANTX1N6072A](#) [SR2835ESKG](#) [SA90CA](#)