

SUMMARY

Wires

Image is for illustrative purpose only

Series

Termination type No contacts / Accessory

IP rating

AWG wire size 0.00 - 0.00

Cable Ø 0.00 - 0.00 mm

Status active

Download

Request a quote

Catalog

TECHNICAL DETAILS

Mechanics

Shell Style/Model *:

Keying No keying

Housing Material

Weight 18.11 g

Performance

Configuration

Insulator

Rated Current

Specifications

Contact Type: Solder

Others

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

DRAWINGS

No keying

RECOMMENDED BY LEMO

Tools

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by LEMO manufacturer:

Other Similar products are found below:

M8196914-08 768211-2 809-131 844751-2 8-59558-2 91018-1 12014013 12093647 1-21048-0 R282867020 12093078 12180559 1-21048-6 12121897 DCF.91.405.5LT 1322 13549852 15314260 15313892 15350698 15350707 15430130 1643916-1 1-679532-0 1976593-3 OUTEXT-0321 2-1579008-3 2-1579008-4 229694-7 231106-1 241469 91040-3 91040-7 965004-000 965069-000 1738219-1 ET-JL05-16 FG 0300 146 3000 FIT-6 210S048 2-1579007-9 231879-1 CF-008025-000 312138-3 RJ11FODE 356-162 M8196914-10 4-1579018-0 483249-1 5-1579007-2