

# DCD.1B.015.PA090

# **SUMMARY**

#### # Wires



Image is for illustrative purpose only

Series	
Termination type	No contacts / Accessory
IP rating	0
AWG wire size	0.00 - 0.00
Cable Ø	0.00 - 0.00 mm
Status	obsolete

#### Download

Request a quote Catalog

# **TECHNICAL DETAILS**

#### **Mechanics**

Shell Style/Model	DCD*: Torque wrench for collet nut	
Keying	No keying	
Housing Material		
Weight	144.20 g	
Performance		
Configuration		
Insulator		

Rated Current

#### Others

Ρ

Temp (min / max): -55°C / +250°C Humidity (max): <=95% [at 60 deg C /140 F] Vibration: 15 g [10 Hz - 2000 Hz] Shock Resistance: 100 g [ 6 ms] Climatical Category: 50/175/21

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

Shielding (min): 75 dB (10 MHz) Shielding (min): 40 dB (1 GHz)

### DRAWINGS



No keying

#### Dimensions

	S1
mm.	9
in.	0,35

### **RECOMMENDED BY LEMO**

Tools

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Spanners category:

Click to view products by LEMO manufacturer:

Other Similar products are found below :

 74005
 74008
 DCH.91.101.PN
 1406504-3
 1406504-4
 1406504-5
 1406504-7
 1725859-2
 9965
 999-16625-001
 G70515-18
 1055265-1

 1055267-1
 1-1406504-0
 1055787-1
 DCH.91.251.PA
 TG70-18
 TG70
 DPH.99.005.2K
 DCP.91.045.TN
 1055512-1
 1055276-1
 R282303020

 TA-0456
 DCA.91.149.0TN
 TA-0436
 TA-0398
 TOL-222901
 74\_Z-0-0-193
 64W022-001
 294GB-5069-17-N
 74\_Z-0-0-2
 523200-4
 294GB 

 5070-25-A
 74\_Z-0-0-79
 294GB-5070-17-A
 74\_Z-0-0-321
 TOL-171801
 PR23350
 1490262-2
 9968
 AC24VS
 80117
 DCN.91.149.0TK
 BT 

 A-6010CAGE
 R282340000
 BT-BS-609WT
 BT-A-6000B
 R282303000
 BT-BS-610R