



## **SUMMARY**

#### # Wires



Image is for illustrative purpose only

**Series** 

Termination type No contacts / Accessory

IP rating

AWG wire size 0.00 - 0.00

Cable Ø 0.00 - 0.00 mm

Status active

#### **Download**

Request a quote

Catalog

## **TECHNICAL DETAILS**

#### **Mechanics**

Shell Style/Model DCE\*: Positionner for male crimp contacts

**Keying** No keying

Housing Material Aluminium

Weight 13.28 g

#### **Performance**

Configuration

Insulator

**Rated Current** 

#### **Others**

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

## **DRAWINGS**

No keying

# **RECOMMENDED BY LEMO**

#### **Tools**

Crimp settings: AWG/Selector = 20-22-24/6-5-5

Replacement contact: FGG.1B.560.ZZC

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by LEMO manufacturer:

Other Similar products are found below:

010-0096 M225202-37 6-1579015-5 CT150-2-D02 M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875 63819-2875
63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1 762637-1 8087141 811242-5 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1 DCE.91.073.BVC

DCE.91.090.3MVM DCE.91.130.5MVU DCE.91.202.BVCM 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321 1456088-1 1490794-1 1-45804-6 1490357-2 1490357-3 AX100749 1-59619-7 1596970-1 1-59619-8