

SUMMARY

Wires

Image is for illustrative purpose only

Series	
Termination type	No contacts / Accessory
IP rating	0
AWG wire size	0.00 - 0.00
Cable Ø	0.00 - 0.00 mm
Status	active

Download

Request a quote Catalog

TECHNICAL DETAILS

Mechanics

Shell Style/Model	*.
Keying	No keying

Housing Material

Weight 52.88 g

Performance

- Configuration
- Insulator
- **Rated Current**

Specifications

Contact Type: Solder

Others

Temp (min / max): -55°C / +200°C Humidity (max): <=95% [at 60 deg C /140 F] Vibration: 15 g [10 Hz - 2000 Hz] Shock Resistance: 100 g [6 ms] Climatical Category: 50/175/21

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

Shielding (min): 95 dB (10 MHz) Shielding (min): 80 dB (1 GHz)

DRAWINGS

No keying

RECOMMENDED BY LEMO

Tools

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Other Tools category:

Click to view products by LEMO manufacturer:

Other Similar products are found below :

CR-0AFL4--332K 568681-1 5800-0090 58061-1 59065-5 59085 00-8273-RDPP 00-8729-WHPP 593033 593072 593564100 593575 593593 011349-000 CRCW08052740FRT1 LUC-012S070DSM LUC-018S070DSP LUC-024S105DSP 599-2021-3-NME 599-JJ-2021-03 00-5080-YWPP 00-9089-RDPP 00-9300-RDPP CRCW2010331JR02 601-JJ-06 601-SPB 601YSY 602-JJ-03 602SPB 603-JJ-07-FP 603-JJY-04 M15570-25 CRTN1013 CS16 6-1579014-0 CSB3 6203 62200-5709 6240-1 M43435 TY 2 SZ 3 FIN B BLK M-5Z M6816 M7298 M7456 M7976 660-29ABT1 662508-1 CVHD-950X-93.333 CW104-01X 671-GP-04-KT39-73207