

SUMMARY

Wires

Image is for illustrative purpose only

Series

Termination type No contacts / Accessory

IP rating (

AWG wire size 0.00 - 0.00

Cable Ø 0.00 - 0.00 mm

Status active

Download

Request a quote

TECHNICAL DETAILS

Mechanics

Shell Style/Model *:

Keying No keying

Housing Material

Weight 7.53 g

Performance

Configuration

Insulator

Rated Current

Others

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

DRAWINGS

No keying

RECOMMENDED BY LEMO

Tools

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Other Tools category:

Click to view products by LEMO manufacturer:

Other Similar products are found below:

CR-0AFL4--332K 568681-1 5800-0090 58061-1 59065-5 59085 00-8273-RDPP 00-8729-WHPP 593033 593072 593564100 593575
593593 011349-000 CRCW08052740FRT1 LUC-012S070DSM LUC-018S070DSP LUC-024S105DSP 599-2021-3-NME 599-JJ-2021-03
00-5080-YWPP 00-9089-RDPP 00-9300-RDPP CRCW2010331JR02 601-JJ-06 601-SPB 601YSY 602-JJ-03 602SPB 603-JJ-07-FP 603JJY-04 M15570-25 CRTN1013 CS16 6-1579014-0 CSB3 6203 62200-5709 6240-1 M-5Z M6816 M7298 M7456 M7976 660-29ABT1
662508-1 CVHD-950X-93.333 CW104-01X 671-GP-04-KT39-73207 CW307-01A