



SUMMARY

Wires



Image is for illustrative purpose only

Series 0B

Termination type No contacts / Accessory

IP rating (

AWG wire size 0.00 - 0.00

Cable Ø 3.00 - 3.40 mm

Status active

Download

Request a quote

Catalog

TECHNICAL DETAILS

Mechanics

Shell Style/Model GMA*: Bend relief White

Keying No keying

Housing Material Silicone elastomer VMQ

Variant B: White

Weight .42 g

Performance

Configuration

Insulator

Rated Current


Others

Temp (min / max): -60° C / $+200^{\circ}$ C

Temperature range in water steam: +140°C

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

DRAWINGS



No keying

Dimensions

	Α	L
mm.	3.0	27
in.	0,12	1,06

RECOMMENDED BY LEMO

Tools

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular MIL Spec Tools, Hardware & Accessories category:

Click to view products by LEMO manufacturer:

Other Similar products are found below:

0113-201-2025 600-079-06 600-146-06 M10-101982-143 M10-101982-163 M10-101983-183 M10-150912-083 M10-454396-008 602GB18808 CS3102A-22-14PW M2887615-CD 627-009 M38999/9-19B 630A007NF083A 630B007M051A 630BJ003NF032H 637-149NF04B M39029/29-215 6408-203V-09273 6426-201-11343 650FS002NF16 660-008NF14S7-01 660-009M22H8-03 660-013NF19U6-210 660-015NF10S5-01 660-015NF14R3.5-01 660-023NF19H6-19 660-024NF11S12-01 660-024NF11S3-01 660-024NF17S4-109 660-050XM17F4-01 660-068NF25R6-30G 660-070M23S8-04 660-073MTCH9-20 M83723/61-18W M83723/61-218R M83723/61-224W 667-084-23C 667-084-35C 667-224NF16 687-697NF-1 M85049/94-10-A M85049/96-7-A M855282-10A01A M85528/2-22A01A M85528/2-22AA 710HS460NF2508