

PSD2508 Thru PSD2516

High Current Glass Passivated Molding Three -Phase Bridge Rectifier

Reverse Voltage 800 to 1600V Forward Current 25A

FEATURES

- Plastic Package has Underwriters Laboratory Flammability Classification 94V-0
- High current capacity with small package
- Glass passivated chip junctions
- Superior thermal conductivity
- High IFSM




1. Maximum & Thermal Characteristics Ratings at 25°C ambient temperature unless otherwise specified.

Item	Symbol	PSD2504	PSD2508	PSD2510	PSD2512	PSD2516	Unit
Maximum repetitive voltage	VRM	400	800	1000	1200	1600	V
Maximum RMS Voltage	VRMS	280	560	700	840	1120	
Maximum DC Blocking Voltage	VDC	400	80	1000	1200	1600	V
Peak Reverse Current (per leg) @Tj = 25°C	IR	10					μA
At Rated DC Blocking Voltage @Tj = 125°C		5					mA
Average rectified forward current 60Hz sine wave,R-load with heatsink Tc=62°C	Io	25					A
Peak forward surge current 8.3ms single half sine-wave superimposed on rated load	IFSM	400					A
RMS Isolation Voltage from Case to Lead	VISOL	2500					V
Max instantaneous forward voltage @12.5A/25°C	VF	1.1					V
Typical Thermal Resistance per Element	RθJC	1.55					°C/W
I2t Rating for Fusing	I2t	750					A2sec
Operating junction temperature	Tj	-40~150					°C
Storage temperature	Tstg	-40~150					°C


PSD2508 Thru PSD2516

2. Ratings and Characteristic Curves ($T_A = 25^\circ\text{C}$ unless otherwise noted)



PSD2508 Thru PSD2516


3. Marking Identification




Note:

生产日期码包含4位数字，例如“1108”，前两个数字“11”表示为2011年，另外二个数字“08”是指第8周，即表示该产品为2011年第8周生产。

型号：**PSD 25 16**



4. Dimension



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Bridge Rectifiers](#) category:

Click to view products by [Leshan](#) manufacturer:

Other Similar products are found below :

[MB252](#) [MB356G](#) [MB358G](#) [GBJ1504-BP](#) [GBU10B-BP](#) [GBU15K-BP](#) [GBU4A-BP](#) [GBU4D-BP](#) [DB101-BP](#) [DF01](#) [DF10SA-E345](#) [KBPC50-10S](#) [RS405GL-BP](#) [GBJ1502-BP](#) [GBU6M](#) [TB102M](#) [MB1510](#) [MB86](#) [TL401G](#) [MDA920A2](#) [TU602](#) [TU810](#) [MP5010W-BP](#) [MP501W-BP](#) [MP502-BP](#) [KBPC25-02](#) [VBO160-12NO7](#) [VS-110MT120KPBF](#) [VS-60MT80KPBF](#) [DB105-BP](#) [DF1510S](#) [VS-40MT160PAPBF](#) [GBU4G-BP](#) [GSIB15A80-E3/45](#) [DB104-BP](#) [D3SB60](#) [TB354](#) [GBJ2504-BP](#) [26MB100A](#) [B1S-G](#) [VS-40MT160KPBF](#) [VUO162-16NO7](#) [ABS10-G](#) [GBU6B-BP](#) [GBJ1508-BP](#) [BR5010-G](#) [ABS6-G](#) [B125C800G-E4/51](#) [MSB15MH-13](#) [LBS10-13](#)