



Features

- ✧ Very small plastic SMD package.
- ✧ High switching speed: max.4ns
- ✧ Continuous reverse voltage: max.100v
- ✧ Repetitive peak reverse voltage: max.100v
- ✧ Repetitive peak forward current: max.500mA

SOD-323



Dimensions in inches and (millimeters)

Applications

- ✧ Surface mount fast switching diode

Ordering Information

Type No.	Marking	Package Code
BAS316G	A6	SOD-323

MAXIMUM RATING @ Ta=25°C unless otherwise specified

Characteristic	Symbol	Value	Unit
DC Reverse Voltage	V _R	100	V
Forward Current	I _F	300	mA
Power Dissipation	P _d	200	mW
Junction and Storage Temperature Range	T _j , T _{STG}	-65 to +150	°C

ELECTRICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified

Characteristic	Symbol	Min	Max	Unit	Test Condition
Reverse Breakdown Voltage	$V_{(BR)R}$	100	-	V	$I_R=100\mu A$
Forward Voltage	V_F	0.62	0.715	V	$I_F=1.0mA$
			0.855		$I_F=10mA$
			1.0		$I_F=50mA$
			1.25		$I_F=150mA$
Reverse Current	I_R	-	1.0 0.03	μA	$V_R=75V$ $V_R=25V$
Capacitance between terminals	C_T	-	1.5	pF	$V_R=0,f=1.0MHz$
Reverse Recovery Time	t_{rr}	-	4.0	ns	$I_F=I_R=10mA, R_L=100\Omega$


TYPICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified


Fig.2 Maximum permissible continuous forward current as a function of soldering point temperature.




Fig.3 Forward current as a function of forward voltage.




Fig.4 Maximum permissible non-repetitive peak forward current as a function of pulse duration.





Fig.5 Reverse current as a function of junction temperature.



$f = 1 \text{ MHz}$; $T_j = 25^\circ\text{C}$.

Fig.6 Diode capacitance as a function of reverse voltage; typical values.

PACKAGE	SPQ/PCS	CARTON SPQ/PCS	CARTON SIZE/CM	CARTON GW/KG	CARTON NW/KG
SOD-323	3000/REEL	180000	44X44X22	9.00	8.00

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Diodes - General Purpose, Power, Switching category:

Click to view products by LGE manufacturer:

Other Similar products are found below :

[MMBD3004S-13-F](#) [RD0306T-H](#) [BAV17-TR](#) [BAV19-TR](#) [HSC285TRF-E](#) [1N3611](#) [NTE156A](#) [NTE574](#) [NTE6244](#) [1SS181-TP](#) [1SS193,LF](#)
[1SS400CST2RA](#) [SDAA13](#) [SHN2D02FUTW1T1G](#) [LS4151GS08](#) [1N4449](#) [1N456A](#) [1N4934-E3/73](#) [1N914B](#) [1N914BTR](#) [1SS226-TP](#)
[RFUH20TB3S](#) [D291S45T](#) [BAV300-TR](#) [BAW56DWQ-7-F](#) [BAW75-TAP](#) [MM230L-CAA](#) [IDW40E65D1](#) [JAN1N3600](#) [LL4151-GS18](#)
[053684A](#) [SMMSD4148T3G](#) [707803H](#) [NSVDAN222T1G](#) [CDSZC01100-HF](#) [LL4150-M-08](#) [1N4454-TR](#) [BAV199E6433HTMA1](#) [BAS28-7](#)
[BAW56HDW-13](#) [BAS28 TR](#) [VS-HFA04SD60STR-M3](#) [NSVM1MA152WKT1G](#) [RGP30D-E3/73](#) [BAV99TQ-13-F](#) [BAS21DWA-7](#)
[BAV99HDW-13](#) [NTE6250](#) [NTE582-4](#) [NTE582-6](#)