




## Features

- ✧ Planar die construction.
- ✧ “B” for  $\pm 2\%$  tolerance.
- ✧ General purpose, medium current.
- ✧ Ideally suited for automated assembly processes.

## Applications

- ✧ Zener diode.
- ✧ Ultra-small surface mount package.

## SOD-123



Dimensions in inches and (millimeters)

## Ordering Information

Type No.	Marking	Package Code
BZT52B2V4-BZT52B51	See table 2	SOD-123

## Package Information

Device	Package	Shipping
BZT52B2V4-BZT52B51	SOD-123	3000/Tape&Reel

## MAXIMUM RATING @ Ta=25°C unless otherwise specified

Characteristic	Symbol	Value	Unit
Forward Voltage @ I <sub>F</sub> =10mA	V <sub>F</sub>	0.9	V
Power Dissipation	P <sub>d</sub>	500	mW
Thermal resistance, junction to ambient air	R <sub>θJA</sub>	305	°C/W
Junction temperature	T <sub>j</sub>	150	°C
Storage temperature range	T <sub>stg</sub>	-65-150	°C

Notes: 1. Device mounted on ceramic PCB; 7.6mm x 9.4mm x 0.87mm with pad areas 25mm<sup>2</sup>

2. Short duration test pulse used to minimize self-heating effect.

3. When provided, otherwise, parts are provided with date code only, and type number identifications appears on reel only.

4. f = 1KHz

## ELECTRICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified

Type Number	Marking Code	Zener Voltage Range			Maximum Zener Impedance			
		V <sub>Z</sub> @I <sub>ZT</sub>			I <sub>ZT</sub>	Z <sub>ZT</sub> @I <sub>ZT</sub>	Z <sub>ZK</sub> @I <sub>ZK</sub>	I <sub>ZK</sub>
		Nom(V)	Min(V)	Max(V)	mA	Ω		mA
BZT52B2V4	2WX	2.4	2.35	2.45	5	85	600	1.0
BZT52B2V7	2W1	2.7	2.65	2.75	5	83	500	1.0
BZT52B3V0	2W2	3.0	2.94	3.06	5	95	500	1.0
BZT52B3V3	2W3	3.3	3.23	3.37	5	95	500	1.0
BZT52B3V6	2W4	3.6	3.53	3.67	5	95	500	1.0
BZT52B3V9	2W5	3.9	3.82	3.98	5	95	500	1.0
BZT52B4V3	2W6	4.3	4.21	4.39	5	95	500	1.0
BZT52B4V7	2W7	4.7	4.61	4.79	5	78	500	1.0
BZT52B5V1	2W8	5.1	5	5.2	5	60	480	1.0
BZT52B5V6	2W9	5.6	5.49	5.71	5	40	400	1.0
BZT52B6V2	2WA	6.2	6.08	6.32	5	10	200	1.0
BZT52B6V8	2WB	6.8	6.66	6.94	5	8	150	1.0
BZT52B7V5	2WC	7.5	7.35	7.65	5	7	50	1.0
BZT52B8V2	2WD	8.2	8.04	8.36	5	7	50	1.0
BZT52B9V1	2WE	9.1	8.92	9.28	5	10	50	1.0
BZT52B10	2WF	10	9.8	10.2	5	15	70	1.0
BZT52B11	2WG	11	10.8	11.2	5	20	70	1.0
BZT52B12	2WH	12	11.8	12.2	5	20	90	1.0
BZT52B13	2WI	13	12.7	13.3	5	25	110	1.0
BZT52B15	2WJ	15	14.7	15.3	5	30	110	1.0
BZT52B16	2WK	16	15.7	16.3	5	40	170	1.0
BZT52B18	2WL	18	17.6	18.4	5	50	170	1.0
BZT52B20	2WM	20	19.6	20.4	5	50	220	1.0
BZT52B22	2WN	22	21.6	22.4	5	55	220	1.0
BZT52B24	2WO	24	23.5	24.5	5	80	220	1.0
BZT52B27	2WP	27	26.5	27.5	5	80	250	1.0
BZT52B30	2WQ	30	29.4	30.6	5	80	250	1.0
BZT52B33	2WR	33	32.3	33.7	5	80	250	1.0
BZT52B36	2WS	36	35.3	36.7	5	90	250	1.0
BZT52B39	2WT	39	38.2	39.8	5	90	300	1.0
BZT52B43	2WU	43	42.1	43.9	5	100	700	1.0
BZT52B47	2WV	47	46.1	47.9	5	100	750	1.0
BZT52B51	2WW	51	50	52	5	100	750	1.0


**TYPICAL CHARACTERISTICS @ Ta=25°C unless otherwise specified**


Fig. 1 Power Dissipation vs Ambient Temperature




Fig. 2 Zener Breakdown Characteristics




Fig. 3 Zener Breakdown Characteristics




Fig. 4 Zener Breakdown Characteristics




Fig. 5 Junction Capacitance vs Nominal Zener Voltage

PACKAGE	SPQ/PCS	CARTON SPQ/PCS	CARTON SIZE/CM	CARTON GW/KG	CARTON NW/KG
SOD-123	3000/REEL	90000	40X20X22	5.00	4.00

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Zener Diodes](#) category:*

*Click to view products by [LGE](#) manufacturer:*

Other Similar products are found below :

[MMSZ5245BS-7-F](#) [RKZ13B2KG#P1](#) [RKZ5.6B2KJ#R1](#) [EDZTE6113B](#) [EDZTE6116B](#) [EDZTE616.8B](#) [1N747A](#) [1N966B](#) [NTE5116A](#)  
[NTE5121A](#) [NTE5139A](#) [NTE5147A](#) [NTE5152A](#) [NTE5155A](#) [NTE5156A](#) [NTE5164A](#) [JANS1N4974US](#) [SMAJ4764A-TP](#) [RKZ5.1BKU#P6](#)  
[3SMAJ5946B-TP](#) [3SMAJ5950B-TP](#) [3SMBJ5920B-TP](#) [3SMBJ5925B-TP](#) [TDZTR24](#) [441774C](#) [MMSZ4678-TP](#) [MMSZ5232BQ-13-F](#)  
[BZG04-36](#) [BZG05C9V1-HE3-TR](#) [HZM30NBTR-E](#) [UDZTE-175.1B](#) [3SMAJ5945B-TP](#) [3SMAJ5947B-TP](#) [3SMBJ5941B-TP](#) [DL4746A-TP](#)  
[RKZ18B2KK#R1](#) [RKZ10B2KL#R1](#) [RKZ6.8B2KL#R1](#) [RKZ8.2B2KL#R1](#) [DZ2S240M0L](#) [SMAZ27-TP](#) [SMBZ5920B-E3/52](#) [ZMM3.0](#)  
[RD16UM-T1-A](#) [RD39S-T1-A](#) [RD9.1S-T1-A](#) [RD10S-T1-A](#) [RD20S-T1-A](#) [RD2.2S-T1-A](#) [RD2.7UM-T1-A](#)