


REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
A			INITIAL RELEASE	2013.07.24	Liushifeng
B	△ B		CHANGE PART NUMBER DESCRIPTION	2013.09.03	Liushifeng



RECOMMENDED PCB LAYOUT


STANDARD TYPE

DIM	TOL	DIM	TOL
.x	±0.30	.x	±2°
.x	±0.25	.x	±1°
.xx	±0.15		

<p>深圳市连欣科技有限公司</p>				CUSTOMER DRAWING		DATE		TITLE: DDR SO DIMM PCB	
				DRAW NO. T-11-0081		DESIGN: Liushifeng	2013.09.03	P&PN NO: XDAP-4042044-20401	
REV. B		APPROVAL: Linzongbiao		2013.09.03	SCALE: 1:1		UNIT: mm		





1 2 3 4 5 6 7 8

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
A			INITIAL RELEASE	2013.07.24	Liushifeng
B		△ B	CHANGE PART NUMBER DESCRIPTION	2013.09.03	Liushifeng



NOTES : (FOR TAPE & REEL)
 PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET DEREN CONTROLLED SUBSTANCES SPEC.
 * CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED:5 PPM.
 * LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
 * CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-B.

- MATERIAL :
 COVER TAPE : ANTISTATIC P.S, COLOR: TRANSPARENT COLOR.
 CARRIER TAPE : POLYSTYRENES.
 REEL : POLYSTYRENES.
 CARTON: CORRUGATED FIBER.
- QUANTITY : SEE TABLE
- WEIGHT : SEE TABLE
- PEELING RESISTANCE : 10gf~100gf (for 8mm)
 10gf~130gf (for 12mm~56mm)
 10gf~150gf (for 72mm)
- PEELING SPEED : 300mm/MINUTES



4.320KG	2.195KG	250	2
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ CARTON

DIM	TOL	DIM	TOL
x	±0.30	x	±2'
.x	±0.25	.x	±1'
.xx	±0.15		

深圳市连欣科技有限公司

DRAW NO. T-11-0081	DESIGN: Liushifeng	DATE: 2013.09.03	TITLE: DDR SO DIMM 5.2H ASS'Y PACKING
REV. B	CHECK: Linzongbiao	APPROVAL: Linzongbiao 2013.09.03	PART NO: XDAP-4042044-20401
			SHEET: 4/4
			SCALE: 1:1 UNIT: mm

1 2 3 4 5 6 7 8

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIMM Connectors](#) category:

Click to view products by [Lian Xin](#) manufacturer:

Other Similar products are found below :

[1-1932649-2](#) [296409204002856+](#) [5390471-1](#) [10079248-10202LF](#) [2309407-3](#) [10037402-11207LF](#) [10052286-13308LF](#) [10083950-10007](#)
[10124632-0101103LF](#) [10124632-0201001LF](#) [10124632-0202001LF](#) [56441-30007LF](#) [1-1473776-7](#) [XDAP-4042044-20401](#) [78035-0001](#)
[78035-0301](#) [78315-0011](#) [78730-1002](#) [78726-1002](#) [10078239-11103LF](#) [2013311-1](#) [4-1932000-8](#) [10079192-11102LF](#) [10116658-052FSLF](#)
[10116658-152FSLF](#) [1-1735413-1](#) [1-1735438-1](#) [2013310-1](#) [2013289-1](#) [390111-1](#) [390112-1](#) [878030102](#) [879180202](#) [78373-0011](#) [2308107-1](#)
[2309411-1](#) [5-1746530-4](#) [2309408-1](#) [2309412-1](#) [2309407-1](#) [SODIMM-204](#) [FCN-074J240-G/1D](#) [10081530-12208LF](#) [151080-0001](#) [78321-](#)
[0001](#) [78726-1004](#) [87705-1053](#) [10005639-11109LF](#) [10005639-12207LF](#) [10033853-252FSLF](#)