




修订 NO.	修改摘要 REVISION DESCRIPTION	签名 SIGNATURE	日期 DATE

NOTES:





- HUOSING: LCP HIGH-TEMP THERMOPLASTIC UL94V-0 COLOR:BEIGE
- TERMINAL:PHOSPHOR BRONZE  
PLATING:1μ" GOLD FLASH OVERALL 50~100μ" NICKEL UNDER PLATED.
- CODING INFORMATION: LXB638-xxP-COR

- PACKING: R: CARRIER REEL
- STANDARD TYPE
- COLOR:BEIGE
- PLUG
- PIN

0.8 BTB  
HEIGHT: 38--3.8H  
BHCONN BTB CONNECTOR SERIES



NO.of contacts	Dimensions			
	A.	B.	C.	D.
40	21.80	15.20	16.80	20.20
60	29.80	23.20	24.80	28.20
80	37.80	31.20	32.80	36.20
100	45.80	39.20	40.80	44.20
120	53.80	47.20	48.80	52.20
140	61.80	55.20	56.80	60.20
160	69.80	63.20	64.80	68.20
180	77.80	71.20	72.80	76.20
200	85.80	79.20	80.80	84.20



深圳市连欣科技有限公司

制图 (DW):	Kevin	品名 (TITLE):	0.8mm PITCH BTB CONNECTOR PLUG ASSEMBLY 5.0H TYPE				
审核 (CHK):		料号 (PART NO.):	XDB638-**P-COR				
批准 (APP):		版本 (REV):	1:1	数量 (QTY):	1 OF 1	单位 (UNIT):	mm





修订 REV	修改摘要 REVISION DESCRIPTION	姓名 SIGNATURE	日期 DATE


NOTES:

- HUOSING: LCP HIGH-TEMP THERMOPLASTIC UL94V-0 COLOR:BEIGE
- TERMINAL:PHOSPHOR BRONZE  
PLATING:1\*''GOLD FLASH OVERALL 50~100\*''NICKEL UNDER PLATED.
- CODING INFORMATION: LXB612-\*\*P-COR





- PACKING: R: CARRIER REEL
- STANDARD TYPE
- COLOR:BEIGE
- RECEPTACLE
- PIN
- PLATING: G:GOLD FLASH
- 0.8 BTB
- HEIGHT: 12--1.2H
- LXWCONN BTB CONNECTOR SERIES



3D VIEW



NO.of contacts	Dimensions			
	A.	B.	C.	D.
40	21.80	15.20	17.10	20.20
60	29.80	23.20	25.10	28.20
80	37.80	31.20	33.10	36.20
100	45.80	39.20	41.10	44.20
120	53.80	47.20	49.10	52.20
140	61.80	55.20	57.10	60.20
160	69.80	63.20	65.10	68.20
180	77.80	71.20	73.10	76.20
200	85.80	79.20	81.10	84.20



RECOMMENDED P.C.BOARD LAYOUT



深圳市连欣科技有限公司

一、般、注、意  
 1. 注意极性  
 2. 注意插拔方向  
 3. 注意插拔速度  
 4. 注意插拔位置  
 5. 注意插拔角度  
 6. 注意插拔力度  
 7. 注意插拔时间  
 8. 注意插拔次数  
 9. 注意插拔环境  
 10. 注意插拔人员

制圖 (DRAW): Kevin zhu.wu  
 審核 (CHECK):  
 批准 (APPV):

0.8mm PITCH BTB CONNECTOR  
 RECEPTACLE ASSEMBLY 5.0H TYPE

品名 (VTUL):  
 料号 (PART NO): XDB612-\*\*P-COR  
 版本 (REV):  
 比例 (SCALE): 1:1  
 圖制 (DRAW):  
 審核 (CHECK):  
 批准 (APPV):  
 單位 (UNIT):

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board to Board & Mezzanine Connectors](#) category:*

*Click to view products by [Lian Xin](#) manufacturer:*

Other Similar products are found below :

[589158040000018](#) [MDF7C-18P-2.54DSA\(55\)](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [MIS-048-01-F-D-DP-K](#)  
[832-10-034-10-001000](#) [FX4C-80S-1.27DSA](#) [93696-330](#) [224393](#) [FCN-235D050-G/C](#) [210-93-314-41-105000](#) [MDF7-40DP-2.54DSA\(55\)](#)  
[55323-1519](#) [069159702701000](#) [101A10019X](#) [105061100000861+](#) [75140-7012](#) [87471-650](#) [1744382-4](#) [063209](#) [10124054-515LF](#) [68685-603](#)  
[8-1616154-3](#) [541371078](#) [IL-WX-10PB-HF-B-E1000E](#) [FX23-40P-0.5SV15B](#) [FCN-214J100-G/0](#) [354184](#) [P50-028-DDS-TG](#) [53309-2471](#)  
[54546-2071](#) [1586617-1](#) [504248-1210](#) [504248-2010](#) [1-1437355-2](#) [9159005551906](#) [NDS100-004-BF](#) [93696-730LF](#) [91922-31141LF](#) [505274-](#)  
[3440](#) [501493-2410](#) [504208-3410](#) [505006-0811](#) [505274-2040](#) [202436-1600](#) [202477-0414](#) [71660-7580](#) [73420-5192](#) [360-10-107-00-001000](#)