

Fuse Blocks and Clips

For 2AG Fuses

RoHS

MOINI-BLOK® Fuse Block Molded Base Type





This low profile Omni-Blok® Fuse Block design is available with a choice of solder type terminals, Q.C. terminals or P.C. board mountable terminals. The PCB design is offered with either tin-plated brass terminals for normal applications or tin-plated beryllium copper terminals for use in caustic environments. These fuse blocks feature individual barriers which reinforce the fuse clips while providing greater protection against clip damage and electrical shock. The unique design permits selfalignment of clips to fuse cap. This, plus a one-piece clip/terminal assures low contact resistance. Multiple units may be broken apart to obtain desired number of units.

APPROVALS: Recognized under the Components Program of Underwriters Laboratories and Certified by CSA.

SPECIFICATIONS:

Electrical: Solder Type — 10A, 300V.
Q.C. Type — 10A, 300V.
PCB Type — 10A, 300V.
— 10A, 300V.

Dielectric Strength: 1500V., Minimum.

Clip/Terminals: Tin-Plated Spring Brass, except pn 254121 is

Tin-Plated Beryllium Copper.

Base: Black Thermoplastic, glass reinforced with UL 94V0

flammability rating.

Ambient Temperature: -40°C to +85°C.


OPTIONS:

- 1. Other colors available on special order. Contact factory.
- Two different style clips can be supplied for circuit identity or polarization. Contact factory.


PATENTED

ORDERING INFORMATION:


Catalog Number			Typical
Solder Type Terminals	Number of Units	Overall Width (B)	Clip/ Terminals
254 001	1	0.35"	Brass
254 002	2	0.80"	Brass
254 003	3	1.25"	Brass
254 004	4	1.70"	Brass
254 005	5	2.15"	Brass
254 006	6	2.60"	Brass
254 007	7	3.05"	Brass
254 008	8	3.50"	Brass
		Typical	
NEMA Style	Number	Overall	Clip/
.110" Q.C. Terminals	of Units	Width (B)	Terminals
254 201	1	0.35"	Brass
254 202	2	0.80"	Brass
254 203	3	1.25"	Brass
254 204	4	1.70"	Brass
254 205	5	2.15"	Brass
254 206	6	2.60"	Brass
254 207	7	3.05"	Brass
254 208	8	3.50"	Brass
		Typical	
P.C.	Number	Overall	Clip/
Board Mount	of Units	Width (B)	Terminals
254 101	1	0.35"	Brass
254 121	1	0.35"	Beryllium Copper



Solder & Q.C. Types:



P.C. Board Mount Type:



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Littelfuse manufacturer:

Other Similar products are found below:

V130LA10A 1SMB33AT3G 1SMA24AT3G 0362030.V 59022-3-S-02-F 46213150000 59022-3-T-02-F 59022-3-U-02-F MDRR-DT-30-35-F FLEX-14-35-40 SK225RDTP GTCA28-231M-R05 SMBJ5.0 00970019XP LX5090 0217010.HXP 0217.500HXP 02181.25TXP 0218.500TXP 0224006.HXUP 740GN 815.650 FLA2.25 FLSR400 FLSR600 900-1535-012RN 901-134 970699013 971-670A-92WCN 153.5631.5601 155100 157.5701.6101 1.5KE110A-B 1.5KE220A 1.5SMC150CA BLF006 BLF008 JLLS-250 235.200 901-152C-042RN 920-401X-330BN 282007 LFC600602CID LFR600303CID LJCA030.X SE-GRM024 SE-TA6ASF-WL 2N6509G 980-788A-070 FLNR100