

NEUTRAL SAFETY AND BACKUP SWITCHES







91113

Description

Littelfuse Pushpull Switches are designed for universal applications within harsh environments. Their mounting, body, and actuator features are designed for ease-of-use and extended product lifecycle.

The Neutral Safety and Backup Series provide momentary and discrete circuit closure for signaling and indicating. The circuits and indicators within this family are designed for repeated use.

Specifications Overview

Circuitry: Housing: Actuator: Single Pole, Single Throw Plated Steel Ball Switch

Applications

- Construction Equipment
- Agricultural Equipment
- Material Handling Equipment
- Transit and Commercial Vehicles

Features and Benefits

• Silver contacts for corrosion resistance

Web Resources

Download 2D print and technical resources at: littelfuse.com/SafetyandBackupSwitches

PART NUMBERS	DESCRIPTION	MOUNTING	VOLTAGE RATING	INGRESS PROTECTION	POSITIONS	TERMINATION	SPRING RETURN
9224 *	Neutral Safety Normally Closed Heavy Duty Ball Switch	0.75 (19.05mm) 16 Panel Hole	5A at 12V DC	None; Moisture- Resistant	2: On - Momentary Off	2 Screw	Spring Return to On
9242 *	Neutral Safety Normally Open Heavy Duty Ball Switch	0.56 (14.29mm) 16 Panel Hole	35A at 12V DC	None; Moisture- Resistant	2: Off - Momentary On	2 Screw	Spring Return to Off
91113 *	Normally Open Back-Up Ball Switch	0.56 (14.29mm) 16 Panel Hole	20A at 12V DC	Gasket Seal	2: Off - Momentary On	2 Screw	Spring Return to Off
92102 *	Neutral Safety Normally Open Heavy Duty Ball Switch	0.56 (14.29mm) 16 Panel Hole	15A at 12V DC	None; Moisture- Resistant	2: Off - Momentary On	2 Blade (Aptiv #2962679)	Spring Return to Off
40100-04	Normally Closed Push Signal Switch	Panel Mount 4.27x2 (108.45x50.80mm)	10A at 12V DC	—	2: Off - Momentary On	2 Screw	No
92107-03	Normally Open Safety Ball Switch	0.75 (19.05mm) 16 Panel Hole	20A at 12V DC	_	2: Off - Momentary On	2 Terminal Stud	Spring Return to Off
9224-26	Neutral Safety Normally Closed Heavy Duty Ball Switch	0.75 (19.05mm) 16 Panel Hole	5A at 12V DC, 3A at 24V DC	None; Moisture- Resistant	2: On - Momentary Off	2 16AWG leads terminated in Aptiv #12010973	Spring Return to On

* Box and Retail Blister Pack



Visit Littelfuse.com for the most up-to-date product information. Littelfuse products are designed for specific applications and should not be used for any purpose (including, without limitation, automotive applications) not expressly set forth in applicable Littelfuse product documentation. Warranties granted by Littelfuse shall be deemed void for products used for any purpose not expressly set forth in applicable Littelfuse product documentation. Warranties granted by Littelfuse shall be deemed void for products used for any purpose not expressly set forth in applicable Littelfuse product documentation. Littelfuse for any claims or damages arising out of products used in applications not expressly intended by Littelfuse set forth in applicable Littelfuse product documentation.

Ordering Information

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pushbutton Switches category:

Click to view products by Littelfuse manufacturer:

Other Similar products are found below :

 8940K2012
 LW1L-M1C10V-A
 LW1L-M1C70-A
 LW2L-A1C20M-GD
 LW2L-M1C20M-A
 60324L
 M22-D-R-GB0/K11
 M7E-HRN2

 67021K512
 67081K512X
 701PB580
 7190K101
 7199K101
 810K12910
 810KSV30B
 MML21EA2ADK
 MML21KA3ABK

 MML23KA3AC05K-001
 MML23KW3AA01W
 8418K2
 8442K3
 8450K1
 860K11911T01A
 861901
 861K11911T01A07

 861K13810T00A14
 861K13911
 8646AB6X718UL
 8646ABUL
 9001KXRK
 907AYY100
 PMHD155A1
 95-313.000

 9533CD4+U574+U4922
 95-414.000
 99-450.837
 99-453.837
 PV3H2B0NN-341
 1203MRA
 A22NZBGANGA
 A22NZBMMNGA

 A22NZBNANGA
 A22NZMPATRA
 A2PMA1X03EC56
 A3A-5123-02
 A3A-7140
 A3A-7340
 A3U-TMW-A2C-5M
 A595