

Electric strikes 1760 series

















FEATURES

- Revisible (left and right hand).
- With nonitoring.
- ✓ Maximium load of the microswitch AC (125V)-3A/DC (30V)-2A.
- ✓ Height 78.5 mm, width 21.5 mm.
- For narrow profiles.
- ✓ Fail secure (NC) and fail-safe (NO) models.
- ✓ Assembling screws distance 52 mm.
- ✓ Latch adjustment 4 mm.
- ✓ Power supply: 6, 12, 24, 48 V AC / DC.
- ✓ Low or very low power consumption.
- ✓ Durability: grade C 200,000 cycles.
- Category of use grade 3 suitable for public buildings
- ✓ Certificate of Conformity acc. to EN 14846.

TECHNICAL DATA


Model

Low consump.

1768

NO

1761



Power supply (V)	6-12V AC/DC Standard	12-24V AC/DC Standard	12-24V AC/DC Low consump. 12V	24-48V AC/DC Low consump. 24V	12V DC NO	24V DC NO
Tolerance (%)	±5%					
Continuous work	< 1 min.	< 1 min.	100 % 12V DC <1 min. 12V AC <1 min.24V AC/DC	100 % 24V DC <1 min. 24V AC <1 min.48V AC/DC	100 %	100 %
Resistance (Ω)	8,5	20	40	150	60	150
Power consumption DC (mA)	6V / 700 12V / 1400	12V / 600 24V / 1100	12V / 300 24V / 600	24V / 170 48V / 340	12V / 200 -	24V / 160 -
Power consumption (mA)	6V / 600 12V / 1200	12V / 500 24V / 1000	12V / 250 24V / 510	24V / 150 48V / 300	-	-
max preload DC (N)	10	10	10	10	10	10

Standard

1760

Recomended front plates: 900; 901; 902; 903; 913

Max preload AC (N)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Fixings & Accessories category:

Click to view products by Lockpol manufacturer:

Other Similar products are found below:

F03-01 SUS304 BINIL 8000-5130 FH-AP1 PH-1-10M PH-1-20M PH-2-30M AC201 R4 ADI-LC3S E39-L149 EC18-WELL K35-4 A-1923 SS-12143 STA12 PH-1-50M R6 D01051301 43912557-020 MF-1 D=3.2 BGN-035 E39-L7 ZX-SB11 D01070602 606072 606075 Y92ES12PVC4A10ML Y92ES12PVC4S5ML SA9Z-F11 Z49-SF1 E4R-R12A-CS3M010 ZX-SW11E V3 CCS-PL-LDR2-70 E4R-R12A-CS3M020 BS-1T CHITAN F03-01 CHITAN CCS-PD2-1012 PH-2-90M PH-2-5M XMLZL008 AC244 28810-1 PH-1-40M SS-12225 32043-500 ZG2-XC15CR ZS-SW11V3E ZS-MDC11 ZS-DSU11 ZJ-SFW11