



CAT.7 S/FTP Network Cable

Technical Features

Performance: Cat.7 600MHz ClassEA up to 60m

Standards: ISO/IEC 11801, EN 50173, EN 50575


Application: Ethernet up to 10GBase-T, ISDN, PoE, PoE+

Conductor: Bare copper wire Ø 0.4 mm AWG26

Shielding: 4 individually screened pairs (PIMF), copper braid (tinned)

Sheath: LSZH, Ø 6.2 mm outer cable diameter

Fire Protection Class: Eca (EN50575:2014/A1:2016)



Length	Part-No.	EAN Code
50m	CPV0053	4052792051087
100m	CPV0054	4052792051094
305m	CPV0055	4052792051100

Package Contents

CAT7 Installation Cable x1

Packaging Informations

Packing Dimension	mm
Packing Weight	kg
Carton Dimension	mm
Carton Q'ty	pc
Carton Weight	kg



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[0152660053](#) [603020002](#) [73-7797-25](#) [73-8890-10](#) [73-8890-14](#) [73-8891-14](#) [73-8891-25](#) [73-8892-50](#) [73-8894-10](#) [73-8894-3](#) [73-8895-14](#) [73-8896-7](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [9QA0-111-12-3.00](#) [1200650742](#) [1200700174](#) [1200860368](#) [1200650013](#) [1201080008](#) [1-21919-1](#) [1300500373](#) [1300101844](#) [1300101845](#) [130050-0004](#) [1300500014](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [MT14-187L](#) [17-103530](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC30BLY](#) [NK5EPC30VLY](#) [NK5EPC30YLY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [NK6PC30BUY](#) [NK6PC30GRY](#) [NK6PC30RDY](#) [NK6PC30Y](#) [NK6PC30YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#)