



Cat.8.1 S/FTP Patch Cable

Technical Features

Premium Cat.8.1 Round Patch Cord

Cat.8.1 Class I ISO11801 channel tested

Application: 40G Base-T, PoE+, PoE++

Wire: 4 x 2 x 26/7 AWG bare copper


Shielding: overall screen, pairs in metal foil (PiMF)

Cable: LSZH sheath, 6.2 mm cable OD

Plug: RJ45, shielded, gold plated contacts

Color of cable: Light grey RAL7035

Technical Drawing



Art-No.	Cable Length	EAN Code
CQ8022S	0.5 m	4052792051926
CQ8032S	1 m	4052792051933
CQ8042S	1.5 m	4052792051940
CQ8052S	2 m	4052792051957
CQ8062S	3 m	4052792051964
CQ8072S	5 m	4052792051971
CQ8092S	10 m	4052792051988
CQ8102S	15 m	4052792052145
CQ8112S	20 m	4052792070507

Package Content

1x Cat.8.1 S/FTP Patch Cable

Packaging Information

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CQ8022S	180 x 15 x 130 mm	0.034 kg	400 x 300 x 300 mm	200 pcs	7.6 kg
CQ8032S	180 x 11 x 180 mm	0.054 kg	400 x 300 x 300 mm	140 pcs	8.4 kg
CQ8042S	195 x 15 x 195 mm	0.075 kg	400 x 300 x 300 mm	100 pcs	8.1 kg
CQ8052S	185 x 16 x 185 mm	0.093 kg	400 x 300 x 300 mm	80 pcs	8.2 kg
CQ8062S	185 x 20 x 185 mm	0.132 kg	400 x 300 x 300 mm	60 pcs	8.6 kg
CQ8072S	185 x 23 x 185 mm	0.210 kg	400 x 300 x 300 mm	40 pcs	9.1 kg
CQ8092S	190 x 40 x 190 mm	0.395 kg	400 x 300 x 300 mm	25 pcs	11.2 kg
CQ8102S	220 x 45 x 220 mm	0.601 kg	400 x 300 x 300 mm	18 pcs	11.5 kg
CQ8112S	220 x 40 x 260 mm	0.63 kg	400 x 300 x 300 mm	18 pcs	12.1 kg



www.2direct.de 

Made in China

*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[73-7795-1](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#)
[MWDM2L-51GS-6J1-2.82B](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC1GRY](#) [NK5EPC4Y](#) [1969343-6](#) [ICD056GVP163D-C0](#)
[C5UMB3FBG](#) [C631208025](#) [C631208035](#) [C6F1106015](#) [2142758-2](#) [2168427-2](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#)
[UTPCH14GY](#) [45-5684](#) [09459711142](#) [100345-1301](#) [MWDM2L-25P-8K1-.500B](#) [MWDM6L-31S-6C4-.375H](#) [73-7793-1](#) [74764-1101](#)
[WHU18-3636-048](#) [RJF2SA2G05100BTX](#) [1R4000A39M030](#) [UTPSP6GY](#) [UTPSP2GY](#) [UTPSP10GY](#) [UTPCH5GY](#) [UTP28SP15M](#)
[UTP28CH100OR](#) [74764-2301](#) [E66A06002M020](#) [NPC-5E-010-GY](#) [SAC-5P-MS/ 1.0-920/FS SCO AR](#) [1-3636-601-5211](#) [1-3636-600-5212](#) [1-3636-461-5208](#)