

LogiLink_®

USB-C™ Gaming Cable with U-Shaped Plug

USB-C male to USB-C male

Art. No.: CU0190 CU0191 CU0194

USB-C gaming charging cable can charge any USB-C devices like smartphone, tablet or computer. With 180° U-shaped plug convenient for playing games or watching video while charging phones, it will not block your hand to operate the phone screen.

Features:

- » Connect USB-C smartphone and tablet with USB-C charger or computer
- » Unique 180° U-shaped design provides more space for the hand, and protects the two end ports from damage caused by frequent bending
- » Data transfer rate up to 480 Mbps and power supply up to 20 V/3 A (60 W)
- » Suitable for all USB-C gadgets





Specifications:

Connection 1	USB-C male
Connection 2	USB-C male, U-shaped
Cable Material	Nylon braided cable
Max. Current Capacity	3 A
Max. Data Transfer Rate	480 Mbps
Cable Color	Black

Art-No.	Cable Length	EAN Code
CU0190	1 m	4052792069006
CU0191	2 m	4052792069013
CU0194	3 m	4052792069051



Package Contents:

- » 1 x USB-C Gaming Cable
- » 1 x User Manual

Package Information:

» Packing Dimension: mm

» Packing Weight: kg

» Carton Dimension: mm

» Carton Q'ty: pcs» Carton Weight: kg



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Audio Cables / Video Cables / RCA Cables category:

Click to view products by Logilink manufacturer:

Other Similar products are found below:

1-3737-600-3216 LF3BLX 30-513 28-511-0 RCA05RCAB 427493000-3 49152A-010-S2 32-3766 32HR07284X CAB-LFH-V16A16S0
DB25M02XLRMXLRFY 426052000-3 LF1BKX TT746 CA-MINIDP-DVIM-6FT CA-MINIDP-DVIM-3FT CA-MINIDP-DVIM-10FT
CA-MINIDP-VGAF-3FT CA-MINIDP-HDMIF-6FT MDC8P53 LF10GNX 427492100-3 LF4BLX cab-DP to HDMI Passive VGA CABLE
DISPLAYPORT TO VGA CABLE TT3GNX 1700021831-01 Audio Cable 427491690-3 427528000-3 TT2PX SPEAKER CABLE
L=300mm Speaker cable 594E3412000E 32007-005500-200-RS BCLBH BANHF BAPHG COQBI COQBG COEHG COJBI DAEBK
51771 39448 VAB-S04-L VAS-A13-B200 VAS-A13-B300 KABADA USBC/JACK OEM-C11