

LogiLink®



Ultra Slim 4K Pro 1x2 HDMI™ Splitter

Art. No.: CV0140

This 1x2 HDMI Ultra HD Splitter with HDCP 2.2 is an advanced solution for splitting a single HDMI input to two HDMI outputs.

It provides high performance audio and video output up to 4K2K@60Hz resolution and delivers up to 18Gbps of bandwidth, ensuring the best 4K picture quality.

Its ultra-sleek design with a thickness of 9mm and a length of 83mm fits in the palm of your hand, and can easily be discreetly hidden behind monitors or TVs.



1 Input to 2 Outputs

Connects one HDMI source to two HDMI displays.



Compact Design

Portable and slim size that fits in the palm of your hand.



ULTRA SLIM



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



CV0140



Made in China

LogiLink®



Ultra Slim 4K Pro 1x2 HDMI™ Splitter

Art. No.: CV0140

Feature:

- » Compliant with HDMI 2.0b and HDCP™ 2.2 specifications
- » Supports video formats up to 4K@30Hz with 24-bit RGB/YCbCr 4:4:4/YCbCr 4:2:2, and up to 4K@60Hz with 12-bit YCbCr 4:4:4
- » Supports 3D frame sequential video formats up to 1080p@60Hz
- » Supports high resolution VESA® mode video formats up to QSXGA@60Hz
- » Supports LPCM 7.1-channel, Dolby TrueHD™, DTS-HD Master Audio™, and HDR (High Dynamic Range)
- » Supports Auto EDID analysis mode, equipped with EDID emulation
- » Full YCbCr 4:4:4 Chroma Sampling at 4K
- » LED indicators for power status and source devices
- » Plug-n-Play, no drivers required

Specifications:

Input	HDMI, female x 1
Output	HDMI, female x 2
Output Resolution	480i~1080P@50/60, 4K2K@30, up to 4K2K@60Hz
Video Bandwidth	600MHz/18Gbps
Operating Temperature	0°C~45°C
Operating Humidity	10%~85% RH (non-condensing)
Storage Temperature	-10°C~80°C
Storage Humidity	5%~90% RH (non-condensing)
Power Supply	DC 5V
Chassis Material	Aluminum
Power Consumption (Max)	2W
Product Dimension	83 x 40 x 9mm
Product Weight	60g

Package Contents:

- » 1 x HDMI Splitter
- » 1 x Micro USB to USB-A M/M Cable
- » 1 x User Manual

Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



CV0140



Made in China



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [HDMI Cables](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[426301400-3](#) [cab-DP to HDMI Passive](#) [HD2003 010S1](#) [68783-0055](#) [PND400](#) [UA0329](#) [50472](#) [50586](#) [HD0003](#) [HD0102](#) [31888](#) [31889](#)
[31893](#) [31897](#) [31907](#) [31908](#) [31911](#) [31913](#) [31914](#) [31915](#) [31919](#) [31920](#) [31923](#) [31925](#) [31926](#) [31929](#) [31935](#) [31936](#) [31937](#) [31941](#) [31943](#)
[31944](#) [CV0036B](#) [CV0038](#) [CV0055](#) [CV0057](#) [CV0057B](#) [CV0058](#) [CV0058B](#) [CV0059B](#) [50580](#) [50581](#) [50582](#) [50989](#) [50992](#) [51579](#) [51586](#)
[51724](#) [51758](#) [51953](#)